

- Lévy, P. (1936b). Détermination générale des lois limites. *Comptes rendus*, 203, 698.
- Lévy, P. (1936c). La loi forte des grands nombres pour les variables aléatoires enchaînées. *J. Math. Pur. App.*, 15, 11.
- Lévy, P. (1937a). L'arithmétique des lois de probabilité. *Comptes rendus*, 204, 80 and 944; Sur les exponentielles des polynômes et sur l'arithmétique des produits de lois de Poisson. *Ann. l'École Norm. Sup.*, 54, 231; and: Nouvelle contribution à l'arithmétique des produits de lois de Poisson. *Comptes rendus*, 205, 535.
- Lévy, P. (1938a). L'arithmétique des lois de probabilité. *J. Math. Pur. App.*, 27, 17.
- Lévy, P. (1938b, 1939). Sur la définition des lois de probabilités par leurs projections. *Comptes rendus*, 206, 1240, and: Rectification. *Ibid.*, 206, 1699. Also: Sur les projections d'une loi de probabilité à n variables. *Bull. Sci. Math.*, (2), 63, 148.
- Lévy, P. (1939a). L'addition des variables aléatoires définies sur une circonférence. *Bull. Soc. Math. France*, 67, 1.
- Lévy, P. (1939b). Extensions stochastiques des notions de série, d'intégrale. (278).

et d'aire. Comptes rendus, 209,
591.

Lévy, P. (1939a) Sur la division d'un
segment par les points choisis
au hasard. Comptes rendus, 208,
147.

Lewis, W. T. (1935). A reconsideration of
Sheppard's corrections. Ann. Math.
Stats., 6, 11.

Lexis, W. (1903). Abhandlungen zur Theo-
rie der Bevölkerungs und Mo-
ralstatistik. Fischer, Jena.

Liapounoff, A. (1900). Sur une proposition
de la théorie des probabilités.
Bull. Acad. Sci. St. Pét., (5), 13, 359.

Liapounoff, A. (1901). Nouvelle forme du th-
éorème sur la limite de proba-
bilité. Mem. Acad. Sci. St. Pét., (8),
12, No. 5.

Lidstone, G. T. (1933). Notes on orthogonal
polynomials, etc. J. Inst. Act., 64, 128.

Lidstone, G. T. (1937). Notes on interpolation,
etc. J. Inst. Act., 68, 267.

Lindblad, T. (1937). Zur Theorie der Korrela-
tion bei mehrdimensionalen zufä-
lligen Variablen. Acta Soc. Sci. Fie-
nnicae, (2), 10, 1.

Lindeberg, J. W. (1922). Eine neue Herleitung
des Exponentialgesetzes in der Wä-
rscheinlichkeitsrechnung. Math.
Zeit., 15, 211.

Lomnicki, A. (1923). Nouveaux fondements du

- calcul des probabilités. *Fund. Math.*, 4, 34.
- Lonseth, A. T. (1942). Systems of linear equations with coefficients subject to error. *Ann. Math. Stats.*, 13, 332.
- Lorenz, P. (1931). Die Trend. *Vierteljahrsshefte zur Konjunkturforschung*. 2^e Auflage, Sonderheft, 21.
- Lorenz, P. (1935). Annual survey of statistical technique: Trends and seasonal variations. *Econometrika*, 3, 456.
- Lotka, A. J. (1938). Some recent results in population analysis. *J. Am. Stat. Ass.*, 33, 164.
- Lotka, A. J. (1939). On an integral equation in population analysis. *Ann. Math. Stats.*, 10, 144.
- Lüders, R. (1934). Die Statistik der seltenen Ereignisse. *Biom.*, 26, 108.
- Lurquin, C. (1937). Sur la loi de Bernouilli à deux variables. *Bull. Classe. Sci. Acad. R. Belgique*, (5^e), 23, 857.
- Macaulay, F. R. (1931). *Smoothing of Time-Series*. National Bureau of Economic Research, New York.
- MacMahon, P. A. (1915, 1917). *Combinatory Analysis*, Cambridge University Press.
- MacStewart, W. (1941). A note on the power of the sign test. *Ann. Math. Stats.*, 12, 236.
- Modow, W. G. (1937). *Contributions to the*

- theory of comparative statistical analysis. I. Fundamental theorems of comparative analysis. *Ann. Math. Stats.*, 8, 159.
- Madaw, W. G. (1938). Contributions to the theory of multivariate statistical analysis. *Trans. Am. Math. Soc.*, 44, 454.
- Madaw, W. G. (1939). Generalisation of the Laplace-Liapounoff theorem. *Ann. Math. Stats.*, 10, 84.
- Madaw, W. G. (1940). Limiting distributions of quadratic and bilinear forms. *Ann. Math. Stats.*, 11, 125.
- Mahalanobis, P. C. (1922). On errors of observation and upper air relationships. *Mem. Ind. Met. Dep.*, 24.
- Mahalanobis, P. C. (1930). On tests and measures of group divergence. I. *J. Asiatic Soc. Beng.*, 26, 541.
- Mahalanobis, P. C. (1933). Tables of L-tests. *Sankhyā*, 1, 109.
- Mahalanobis, P. C., Bose, S. S., Roy, P. R., and Banerjee, S. K. (1934). Tables of random samples from a normal population. *Sankhyā*, 1, 289.
- Mahalanobis, P. C. (1936a). On the generalised distance in statistics. *Proc. Nat. Inst. Sci. Ind.*, 12, 49.
- Mahalanobis, P. C., Bose, R. C., and Roy, S. N. (1936b). Normalisation of statistical variates and the use of rect-

angular coordinates in the theory of sampling distributions. *Sankhyā*, 3, 1.

Mahalanobis, P.C. (1943). An inquiry into the prevalence of drinking tea among middle-class Indian families in Calcutta. *Sankhyā*, 6, 283.

Mählmann, H. (1935). Ein Beitrag zu Untersuchungen über zweidimensionale Verteilungen von Massenpunkten bei zufallsartig bedingten Bewegungen. *Biom.*, 27, 191.

Mallock, R.R.M. (1933). An electrical calculating machine. *Proc. Roy. Soc. A*, 140, 457.

Mann, H.B., and Wald, A. (1942). On the choice of the number of intervals in the application of the χ^2 -test. *Ann. Math. Stats.*, 13, 306.

Mann, H.B. (1943). On the construction of sets of orthogonal latin squares. *Ann. Math. Stats.*, 14, 401.

Marbe, K. (1934). Grundfragen der angewandten Wahrscheinlichkeitsrechnung und theoretischer Statistik. München and Berlin.

March, L. (1926). L'analyse de la variabilité. *Metron*, 6, No. 2, 3.

Marchand, E. (1937). Probabilités expérimentales, probabilités corrigées et probabilités indépendantes. *Mitt. Verein. Schweiz. Versich. Math.*, 33, 49.

- Marcinkiewicz, J., and Zygmund, A. (1937).
 Sur les fonctions independantes.
Fund. Math., 29, 60.
- Marcinkiewicz, J. (1939). Sur le probleme
 des moments. *Comptes rendus*,
 208, 405.
- Markoff, A. A. (1912). *Wahrscheinlichkeitsr-
 echnung*. Teubner, Leipzig.
- Marples, P. M. (1932). Linear difference eq-
 ations. *J. Inst. Act.*, 63, 404.
- Marseguerra, V. (1936). Considerazioni sulla
 cosiddetta legge sinusoidale
 nel calcolo della probabilita.
Giorn. Inst. Ital. Att., 7, 206.
- Martin, E. S. (1934). On the correction for
 the moment coefficients of fr-
 equency-distributions when the
 start of the frequency is one
 of the characteristics to be
 determined. *Biom.*, 26, 12.
- Martin, E. S. (1936). A study of an Egy-
 ptian series of mandibles with
 special reference to mathemati-
 cal methods of sexing. *Biom.*
 28, 149.
- Mather, K. (1935). The combination of data.
Ann. Eug. Lond., 6, 399.
- Mathisen, H. C. (1943). A method of testing
 the hypothesis that two samples
 are from the same population.
Ann. Math. Stats., 14, 188.
- Matuszewski, T., Neyman J., and Supinska.

- J. (1935). Statistical studies in questions of bacteriology. Part I. The accuracy of the dilution method. *Supp. J. R. S. S.*, 2, 63.
- Mazzoni, P. (1934). Su un'origine geometrica di tipi di distribuzioni di frequenze. *Giorn. Ist. Ital. Att.*, 5, 219.
- McCarthy, M. D. (1939). On the application of the z -test to randomised blocks. *Ann. Math. Stats.*, 10, 337.
- McCrea, W. H. (1936). A problem on random paths. *Math. Gaz.*, 20, 311.
- McKay, A. T. (1931). Distribution of the estimated coefficient of variation. *J. R. S. S.*, 94, 564.
- McKay, A. T. (1932). A Bessel function distribution. *Biom.*, 24, 39.
- McKay, A. T., Fieller, E. C., and Pearson, E. S. (1932). Distribution of the coefficient of variation and extended t -distribution. *J. R. S. S.*, 95, 695.
- McKay, A. T. (1933). The distribution of VB_1 in samples of four from a normal universe. *Biom.*, 25, 204; and: The distribution of VB_2 in samples of four from a normal universe. *Biom.*, 25, 411.
- McKay, A. T. and Pearson, E. S. (1933). A note on the distribution of range in samples of n . *Biom.*, 25, 415.
- McKay, A. T. (1934). Sampling from batches. (284)

- Supp. J. R. S. S., 1, 207.
- McKay, A. T. (1935). The distribution of the difference between the extreme observation and the sample mean in samples of n from a normal universe. *Biom.*, 27, 466.
- McKinsey, J. C. C. (1939). A note on Reichenbach's axioms for probability implication. *Bull. Am. Math. Soc.*, 45, 799.
- McMullen, L. (1936). The standard deviation of a difference. *Ann. Eug. Lond.*, 7, 105.
- Meisener, J. (1938). Erzeugende Funktionen der Charlierschen Polynome. *Math. Zeit.*, 44, 531.
- Mendershausen, H. (1937a). An example of meaningful curvilinear regression in economic time-series. *Econometrika*, 5, 329.
- Mendershausen, H. (1937b). Annual survey of statistical technique: methods of computing and eliminating changing seasonal fluctuations. *Econometrika*, 5, 234.
- Mendershausen, H. (1939). Clearing variates in confluence analysis. *J. Am. Stat. Ass.*, 34, 93.
- Menge, W. O. (1937). A statistical treatment of actuarial functions. *The Record*, 26, 65.
- Merril, W. W. (1937). Sampling theory in item analysis. *Psychometrika*, 2, 215.

- Merrington, M. (1941). Numerical approximations to the percentage points of the χ^2 distribution. *Biom.*, 32, 200.
- Merrington, M. (1942). Tables of the percentage points of the t -distribution. *Biom.*, 32, 300.
- Merrington, M., and Thompson, C. M. (1943). Tables of the percentage points of the inverted beta (F) distribution. *Biom.*, 33, 73.
- Mervrath, E. (1933). Anpassung von Flächen an zwei-dimensionel Kollektivgegenstände und ihr Auswertung für die Korrelationstheorie. *Metron*, 11, 220. 2. 103.
- Messina, L. (1933). Un teorema sulla legge uniforme dei grandi numeri. *Giorn. Ist. Ital. Att.*, 4, 116.
- Mihoc, G. (1934). Sur les chaînes multiples discontinues. *Comptes rendus*, 198, 2135.
- Mihoc, G. (1935). Sur la détermination de l'intervalle de contraction de la formula de la moyenne. *Comptes rendus*, 200, 1654.
- Miller, J. C. P. (1934). On a special case in the determination of probable errors. *Month. Not. R. Astr. Soc.*, 94, 860.
- Mitchell, W. C. (1913). *Business Cycles*. Univ. of California Press, Berkeley.
- Mitchell, W. C., and Burns, A. F. (1935). The national Bureau's Measures of Cyclical Behaviour. *Bull.* 57. National Bureau

of Economic Research.

- Messiaen, N. (1937). Über Stabilitätswahrscheinlichkeitsrechnung. *Math. Zeit.*, 42, 513.
- Molina, E. C. (1931). Bayes' theorem. *Ann. Math. Stats.*, 2, 23.
- Molina, E. C. (1942). *Tables of Poisson's Exponential Limit*. Van Nostrand Co., Inc., New York.
- Mood, A. M. (1939). On the L. test for many samples. *Ann. Math. Stats.*, 10, 187.
- Mood, A. M. (1940). The distribution theory of runs. *Ann. Math. Stats.*, 11, 367.
- Mood, A. M. (1943). On the dependence of sampling inspection plans upon population distributions. *Ann. Math. Stats.*, 14, 415.
- Moore, H. L. (1914). *Economic Cycles: Their law and cause*. Macmillan, New York.
- Moore, H. L. (1923). *Generating Economic Cycles*. Macmillan, New York.
- Moore, T. V. (1937). Reduction of data showing non-linear regression for correlation by the ordinary product-moment formula, and the measurement of error due to linear regression. *J. Educ. Psych.*, 28, 205.
- Morant, G. M. (1921). On random occurrences in space and time when followed by a closed interval. *Biom.*, 13, 309.
- Morant, G. M. (1939). The use of statistical methods in the investigation of

problems of classification in anthropology. I The general nature of the material and the form of intra-racial distributions of metrical characters. *Biom.* 31, 72.

Morgan, W.A. (1939). A test for the significance of the difference between the two variances in a sample from a normal bivariate population. *Biom.*, 31, 13.

Mortara, G. (1934). Sulle disuguaglianze statistiche. 22^e Sessione dell'Ist. Int. Stat. London.

Mosak, J.L. (1939). The least-square standard error of the coefficient of elasticity of demand. *J. Am. Stat. Ass.*, 34, 353.

Moulton, E.J. (1938). The periodic function obtained by repeated accumulation of a statistical series. *Am. Math. Monthly*, 45, 583.

Mouzon, E.D. (1930). Equimodal frequency distributions. *Conn. Math. Stats.* 1, 127.

Muench, H. (1936). The probability distribution of protection test results. *J. Am. Stat. Ass.* 31, 677.

Muench, H. (1935). Discrete frequency distributions arising from mixtures of several single probability waves. *J. Am. Stat. Ass.*, 33, 390.

Müller, J.H. (1931). On the application of continued fractions to the sum

evaluation of certain integrals, with special reference to the incomplete Beta-function. *Biom.*, 22, 284.

Musselman, J.R. (1926). On the linear correlation ratio in the case of certain symmetrical frequency-distributions. *Biom.*, 18, 228.

Myers, R.J. (1934). Note on Koshal's method of improving the parameters of curves by the use of maximum likelihood. *Ann. Math. Stats.*, 5, 320.

Nagel, E. (1936). The meaning of probability. *J. Am. Stat. Ass.*, 31, 10.

Nair, A.N.K. (1942). On the distribution of Student's t and the correlation coefficient in samples from non-normal population. *Sankhyā*, 5, 393.

Nair, K.R. (1936). A note on the extension of lagging correlations between two random series. *J. R. S. S.*, 99, 559.

Nair, K.R. (1938a). On Jippetto's random sampling numbers. *Sankhyā*, 4, 65.

Nair, K.R. (1938b). On a method of getting confounded arrangements in the general symmetrical type of experiment. *Sankhyā*, 4, 121.

Nair, K.R. (1940a). The application of covariance technique to field experiments with missing or mixed-up yields. *Sankhyā*, 4, 581.

Nair, K.R. (1940b). Table of confidence intervals for the median in samples

- Nair, K. R. (1941). Balanced confounded arrangements for the 5^n type of experiment. *Sankhyā*, 5, 57.
- Nair, K. R. (1942). A note on the method of fitting constants for analysis of non-orthogonal data arranged in double classification. *Sankhyā*, 5, 317.
- Nair, K. R., and Rao, C. R. (1942). A note on partially balanced incomplete block designs. *Science and Culture*, 7, 568.
- Nair, K. R., and Shrivastava, M. P. (1942). On a simple method of curve-fitting. *Sankhyā*, 6, 121.
- Nair, K. R. (1943). Certain inequality relationships among the combinatorial parameters of incomplete block designs. *Sankhyā*, 6, 255.
- Nair, K. R., and Banerjee, K. S. (1943). A note on fitting straight lines if both variables are subject to error. *Sankhyā*, 6, 331.
- Nair, U. S. (1936). The standard error of Gini's mean difference. *Biom.*, 28, 428.
- Nair, U. S. (1939). The application of the moment function in the study of distribution laws in statistics. *Biom.*, 30, 274.
- Nair, U. S. (1941a). Probability statements regarding the ratio of standard deviations and correlation coefficient in a bivariate normal population. *Sankhyā*, 5, 151.

- Nair, U. S. (1941b). A comparison of tests for the significance of the difference between two variances. *Sankhyā*, 5, 757.
- Narumi, S. (1923a). On the general forms of bivariate frequency-distributions which are mathematically possible when regression and variation are subjected to limiting conditions. Part I. *Biom.*, 15, 77, and Part II, *Biom.*, 15, 209.
- Narumi, S. (1923b). On further inequalities with possible application to problems in the theory of probability. *Biom.*, 15, 245.
- Nayer, P. P. N. (1936). An investigation into the application of Neyman and Pearson's L test, with tables of percentage limits. *Stat. Res. Mem.*, 1, 38.
- Newbold, E. M. (1925). Notes on an experimental test of errors in partial correlation coefficients derived from fourfold and biserial total coefficients. *Biom.*, 17, 251.
- Newbold, E. M. (1927). Practical application of the statistics of repeated events, particularly to industrial accidents. *J. R. S. S.*, 90, 487.
- Newland, W. F., and Neal, E. E. (1939). Statistical control of the quality of telephone service. *Supp. J. R. S. S.*, 6, 25.
- Newman, D. (1939). The distribution of range in samples from a normal population, expressed in terms of an independent.

- estimate of standard deviation. *Biom.*, 31, 20.
- Neyman, J. (1925). Contributions to the theory of small samples drawn from a finite population. *Biom.*, 17, 472.
- Neyman, J. (1926). Further notes on non-linear regression. *Biom.*, 18, 257.
- Neyman, J., and Pearson, E. S. (1928). On the use and interpretation of certain test criteria for purpose of statistical inference. *Biom.*, 20A, 175 and 263.
- Neyman, J., and Pearson, E. S. (1931a). Further notes on the χ^2 -distribution. *Biom.*, 22, 298.
- Neyman, J., and Pearson, E. S. (1931b). On the problem of k samples. *Bull. Acad. Polonaise Sci. Lett. Series A*, 460.
- Neyman, J., and Pearson, E. S. (1933a). On the testing of statistical hypotheses in relation to probability a priori. *Proc. Camb. Phil. Soc.*, 29, 492.
- Neyman, J. (1933b). An outline of the theory and practice of representative method applied in social research. *Polish Inst. Social Problems. Actuarial Series. No. 1. Warsaw.*
- Neyman, J., and Pearson, E. S. (1933c). On the problem of the most efficient tests of statistical hypotheses. *Phil. Trans.*, A, 231, 289.
- Neyman, J. (1934). On two different aspects of the representative method, etc. *J. R. S. S.*,

97, 558.

Neyman, J. (1935a). Su un teorema concernente
le cosiddette statistiche sufficienti.
Giorn. Ist. Ital. Att., 6, 320.

Neyman, J. (1935b). Sur la vérification des
hypotheses statistiques composées.
Bull. Soc. Math. France, 63, 1.

Neyman, J., Dwaskiewicz, K., and Kolodziejczyk,
St., (1935c). Statistical problems in agri-
cultural experimentation. Supp. J. R. S. S.,
2, 107.

Neyman, J., and Pearson, E. S. (1936a). Suffi-
cient statistics and uniformly most
powerful tests of statistical hypotheses.
Stat. Res. Mem., 1, 113.

Neyman, J., and Tokarska, B. (1936b). Errors of
the second kind in testing 'Student's'
hypothesis. J. Am. Stat. Ass., 31, 318.

Neyman, J., and Pearson, E. S. (1936, 1938). Contributions
to the theory of testing statistical hypotheses:
I. Unbiased critical regions of Type A and
Type A₁. Stat. Res. Mem., 1, 1; II. Certain
theorems on unbiased critical regions of
Type A; III. Unbiased tests of simple sta-
tistical hypotheses specifying the values
of more than one unknown parameter.
Ibid., 2, 25.

Neyman, J. (1937a). 'Smooth test' for goodness
of fit. Skand. Akt., 20, 149.

Neyman, J. (1937b). Outline of a theory of statis-
tical estimation based on the classical

theory of probability. *Phil. Trans.*, A, 236, 333.

Neyman, J. (1938a). Contribution to the theory of sampling human populations. *J. Am. Stat. Ass.*, 33, 101.

Neyman, J. (1938b). Test of statistical hypotheses which are unbiased in the limit. *Ann. Math. Stats.*, 9, 69.

Neyman, J. (1938c). On statistics the distribution of which is independent of the parameters involved in the original probability law of the observed variables. *Stat. Res. Mem.*, 2, 58.

Neyman, J., and Pearson, E. S. (1938d). Note on some points in 'Student's' paper on 'Comparison between balanced and random arrangements of field plots'. *Biom.*, 29, 380.

Neyman, J. (1939a). On a new class of 'contagious' distributions applicable in entomology and bacteriology. *Ann. Math. Stats.*, 10, 35.

Neyman, J. (1939b). On the hypotheses underlying the applications of statistical methods to routine laboratory analysis. *Ann. Math. Stats.*, 10, 87.

Neyman, J. (1941a). Fiducial arguments and the theory of confidence intervals. *Biom.*, 32, 128.

Neyman, J. (1941b). On a statistical problem arising in routine analysis and in

- sampling inspections of mean production. *Ann. Math. Stats.*, 12, 46.
- Neyman, J. (1942). Basic ideas and some recent results of the theory of testing statistical hypotheses. *J.R.S.S.* 105, 292.
- Nicholson, C. (1941). A geometrical analysis of the frequency-distribution of the ratio between two variables. *Biom.*, 32, 16.
- Nicholson, C. (1943). The probability integral for two variables. *Biom.*, 33, 59.
- Norris, N. (1935). Inequalities among average. *Ann. Math. Stats.*, 6, 27.
- Norris, N. (1937). Convexity properties of generalised mean value functions. *Ann. Math. Stats.*, 8, 118.
- Norris, N. (1938). Some efficient measures of relative dispersion. *Ann. Math. Stats.*, 9, 214.
- Norris, N. (1939). The standard errors of the geometric and harmonic means. *Ann. Math. Stats.*, 10, 84.
- Norris, N. (1940). The standard errors of the geometric means. *Ann. Math. Stats.*, 11, 445.
- Norton, H.W. (1937). Use of series in an exact test of significance in a discontinuous distribution. *Ann. Eug. Lond.*, 7, 349.
- Norton, H.W. (1939). The 7×7 squares. *Ann. Eug. Lond.*, 9, 267.
- Norton, K.A. (1938). Limits to the accuracy of estimated moment coefficients. *Sankhyā*, 3,

- Nydehl, S. (1919). The mean errors of the characteristics in logarithmic normal distributions. *Skand. Akt.*, 2, 134.
- Olds, E. G. (1935). Distribution of greatest variates, least variates and intervals of variation in samples from a rectangular universe. *Bull. Am. Math. Soc.*, 41, 297.
- Olds, E. G. (1937). On the remainder in the approximate evaluation of the probability in the symmetrical case of James Bernoulli's theorem. *Bull. Am. Math. Soc.*, 43, 806.
- Olds, E. G. (1938a). A moment-generating function which is useful in solving certain matching problems. *Bull. Am. Math. Soc.*, 44, 407.
- Olds, E. G. (1938b). Distribution of sums of squares of rank differences for small numbers of individuals. *Ann. Math. Stats.*, 9, 133.
- Olds, E. G. (1939). Remarks on two methods of sampling inspection. *Ann. Math. Stats.*, 10, 87.
- Olds, E. G. (1940). On a method of sampling. *Ann. Math. Stats.*, 11, 355.
- Olshen, C. A. (1938). Transformations of the Pearson Type III distribution. *Ann. Math. Stats.*, 9, 176.
- Onicescu, O., and Mihoc, G. L. (1935-1939). *Sur*

les chaînes de variables statistiques.

Comptes rendus, 200, 511; 202, 2031.

La limite asymptotique de la somme des variables d'une chaîne de Markoff discontinue. *Ibid.*, 205, 481; Sur les sommes de variable enchaînées. *Bull. Math. Soc. Roum. Sci.*, 41, 99.

Oppenheim, S. (1909). Über die Bestimmung der Periode einer periodischer Erscheinung nebst Anwendung auf der Theorie des Erdmagnetismus. *Wien. Sitzber.*, 2a, 118.

O'Toole, A.L. (1931, 1932). On symmetric functions and symmetric functions of symmetric functions. *Ann. Math. Stats.*, 2, 101 and: (multivariate case), *ibid.*, 3, 56.

O'Toole, A.L. (1933). On the system of curves for which the method of moments is the best method of fitting. *Ann. Math. Stats.*, 4, 1.

O'Toole, A.L. (1934). On the best values of r in samples of R from a finite population of N . *Ann. Math. Stats.*, 5, 146.

Ottestad, P. (1937). On some discontinuous frequency functions and frequency distributions. *Skand. Akt.*, 20, 75.

Ottestad, P. (1939). On the use of the factorial moments in the study of discontinuous frequency distributions. *Skand. Akt.*, 22, 22.

Pae-Tsi-Yuan, (1933). On the logarithmic frequency-distribution and the semi-

logarithmic correlation surface.

Ann. Math. Stats., 4, 30.

Pairman, E., and Pearson, K. (1919). On the corrections for moment coefficients of limited range frequency-distributions when there are finite or infinite ordinates and any slopes at the terminals of the range. *Biom.*, 12, 231.

Palm, C. (1937). Inhomogeneous telephone traffic in full-availability groups. *Ericsson Technics*, No. 1, Stockholm.

Panse, V. G. (1939). Preliminary studies on sampling in field experiments. *Sankhyā*, 4, 139.

Paulson, E. (1941). On certain likelihood ratio tests associated with the exponential distribution. *Ann. Math. Stats.*, 12, 301.

Paulson, E. (1942). An approximate normal distribution of the analysis of variance distribution. *Ann. Math. Stats.*, 13, 233.

Pearl, R., and Reed, L. J. (1923). On the mathematical theory of population growth. *Metron*, 3, No. 1, 6.

Pearl, R. (1930). *Introduction to Medical Biometry and Statistics*. Saunders and Co., Philadelphia and London.

Pearl, R., and Miner, J. R. (1935). On the comparison of groups in respect of a number of measured characters. *Human Biology*, 7, 95.

- Pearl, R. (1937). On the moment product-sums of frequency-distributions. *Human Biology*, 9, 410.
- Pearse, G. E. (1928). On corrections for the moment coefficients of frequency-distributions when there are infinite ordinates at one or both terminals of the range. *Biom.*, 20A, 314.
- Pearson, E. S. (1923). The probable error of a class-index correlation. *Biom.*, 14, 261.
- Pearson, E. S. (1924). Note on the approximations to the probable error of a coefficient of correlation. *Biom.*, 16, 196.
- Pearson, E. S. (1925). Bayes' theorem, examined light of experimental sampling. *Biom.*, 17, 388.
- Pearson, E. S. (1926). A further note on the distribution of range in samples taken from a normal population. *Biom.*, 18, 173.
- Pearson, E. S. (1927). Further note on the linear correlation ratio. *Biom.*, 19, 223.
- Pearson, E. S., and Adyanthama, N. K. (1928, 1929). The distribution of frequency constants in small samples from non-normal symmetrical and skew populations. *Biom.*, 20A, 356, and 21, 259.
- Pearson, E. S. (1929). Some notes on sampling tests with two variable. *Biom.*, 21, 337.
- Pearson, E. S. (1930). A further development of tests for normality. *Biom.*, 22, 239.

- Pearson, E. S., and Neyman, J. (1930). On the problem of two samples. *Bull. Acad. Polonaise Sci. Lett. Series A*, 73.
- Pearson, E. S. (1931a, 1932). The test of significance for the correlation coefficient. *J. Am. Stat. Ass.*, 26, 128, and 27, 424.
- Pearson, E. S. (1931b). The analysis of variance in cases of non-normal variation. *Biom.*, 23, 114.
- Pearson, E. S. (1932). The percentage limits for the distribution of range in samples from a normal population. *Biom.*, 24, 404.
- Pearson, E. S. (1933a). Statistical method in the control and standardisation of the quality of manufactured products. *J.R.S.S.*, 96, 21.
- Pearson, E. S., and Wilks, S. S. (1933b). Methods of statistical analysis appropriate for k samples of two variables. *Biom.*, 25, 353.
- Pearson, E. S. (1934). Sampling problems in industry. *Supp. J.R.S.S.*, 1, 107.
- Pearson, E. S., and Haines, J. (1935a). The use of range in place of standard deviation in small samples. *Supp. J.R.S.S.*, 2, 83.
- Pearson, E. S., and Sukhatme, A. V. (1935b). An illustration of the use of fiducial limits in determining the characteristics of a sampled batch. *Sankhyā*, 2, 13.

- Pearson, E. S. (1935c). A comparison of β_2 and Mr. Geary's w_n criterion. *Biom.*, 27, 333.
- Pearson, E. S. and Chandra Sekar, C. (1936). The efficiency of statistical tools and a criterion for the rejection of outlying observations. *Biom.*, 28, 308.
- Pearson, E. S. (1937a). Maximum likelihood and methods of estimation. *Biom.*, 29, 155.
- Pearson, E. S. (1937b, 1938). Some aspects of the problem of randomisation. *Biom.*, 29, 53. II. An illustration of 'Student's' inquiry into the effect of balancing in agricultural experiments. *Biom.*, 30, 159.
- Pearson, E. S. (1938). The probability integral transformation for testing goodness of fit and combining independent tests of significance. *Biom.*, 30, 134.
- Pearson, E. S. (1939). Note on the inverse and direct methods of estimation in R. D. Gordon's problem. *Biom.*, 31, 181.
- Pearson, E. S. (1941). A note on further properties of statistical tests. *Biom.*, 32, 59.
- Pearson, E. S. (1942a) Notes on testing statistical hypotheses. *Biom.*, 32, 311.
- Pearson, E. S., and Hartley, H. O. (1942b). The probability integral of the range in samples of n observations from a normal population. *Biom.*, 32, 301.
- Pearson, E. S., and Hartley, H. O. (1943). Tables of the probability integral of the 'stu-

- dentised' range. *Biom.*, 33, 89.
- Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Phil. Trans.*, A, 185, 71.
- Pearson, K. (1895). Contributions to the mathematical theory of evolution. II. Skew variation in homogeneous material. *Phil. Trans.*, A, 186, 343.
- Pearson, K. (1896). Mathematical contributions to the theory of evolution. III. Regression, heredity and panmixia. *Phil. Trans.*, A, 187, 253.
- Pearson, K., and Sec, A. (1897a). On the distribution of frequency (variation and correlation) of the barometric heights at diverse stations. *Phil. Trans.*, A, 190, 423.
- Pearson, K. (1897b). Mathematical contributions to the theory of evolution. On a form of spurious correlation which may arise when indices are used in the measurement of organs. *Proc. Roy. Soc.*, 60, 489.
- Pearson, K., and Filon, L. N. G. (1898). Mathematical contributions to the theory of evolution. IV. On the probable errors of frequency constants and on the influence of random selection on variation and correlation. *Phil. Trans.*, A, 191, 229.
- Pearson, K., Sec, A., and Bramley-Moore, L.

(1899a). Mathematical contributions to the theory of evolution. VI. Genetic (reproduction) selection. Inheritance of fertility in man and of fecundity in thoroughbred racehorses. *Phil. Trans.*, A. 192, 257.

Pearson, K. (1899b). On certain properties of the hypergeometrical series and on the fitting of such series to observation polygons in the theory of chance. *Phil. Mag.*, (5), 47, 236.

Pearson, K. (1900a). Mathematical contributions to the theory of evolution. VII. On the correlation of characters not quantitatively measurable. *Phil. Trans.*, A. 195, 1.

Pearson, K. (1900b). Mathematical contributions to the theory of evolution. VIII. On the inheritance of characters not capable of exact quantitative measurement. *Phil. Trans.*, A, 195, 79.

Pearson, K. (1900c). On a criterion that a given system of deviations from the probable in the case of a correlated system of variables is such that it can be reasonably supposed to have arisen in random sampling. *Phil. Mag.*, (5), 50, 157.

Pearson, K., and others (1901a). Mathematical contributions to the theory of evolution. IX. On the principle of homotyposis, etc.

- Phil. Trans.*, A, 197, 285.
- Pearson, K. (1901b). Mathematical contributions to the theory of evolution. X. Supplement to a memoir on skew variation. *Phil. Trans.*, A, 197, 443.
- Pearson, K. (1901c). On lines and planes of closest fit to systems of points in space. *Phil. Mag.*, (6), 2, 559.
- Pearson, K. (1902a). Mathematical contributions to the theory of evolution. XI. On the influence of natural selection on the variability and correlations of organs. *Phil. Trans.*, A, 200, 1.
- Pearson, K. (1902b). On the modal value of an organ or character. *Biom.*, 1, 256.

Pearson, K. (1902c). Note on Francis Galton's problem. *Biom.*, 1, 390.

Pearson, K. (1903, 1913, 1920). On the probable errors of frequency constants. *Biom.*, 2, 273; 9, 1 and 13, 113.

Pearson, K. (1904). Mathematical contributions to the theory of evolution. XIII. On the theory of contingency and its relation to association and normal correlation. Draper's Co. Res. Mem. Biometric Series I. Cambridge University Press (formerly Dulau and Co.)

Pearson, K. (1905). Mathematical contributions to the theory of evolution. XIV. On the general theory of skew correlation and non-linear regression. Draper's Co. Res. Mem. Biometric Series II. Cambridge University Press.

Pearson, K., and Blakeman, J. (1906). On the probable error of mean-square contingency. *Biom.*, 5, 191; (Pearson alone, 1915). *Biom.*, 10, 570; (with A.W. Young, 1916). On the probable error of a coefficient of contingency without approximation. *Biom.*, 11, 215.

Pearson, K. (1907a). Mathematical contributions to the theory of evolution. XVI. On further methods of determining correlation. Draper's Co. Res. Mem. Biometric Series IV. Cambridge University Press.

Pearson, K. (1907b). On the influence of past experience on future expectation. *Phil. Mag.*, (6),

13, 365.

- Pearson, K., and Lee, A. (1908). On the generalised probable error in multiple normal correlation. *Biom.*, 6, 59.
- Pearson, K. (1909). On a new method of determining correlation between a measured character A and a character B, etc. *Biom.*, 6, 96.
- Pearson, K. (1910). On a new method of determining correlation when one variable is given by alternative and the other by multiple categories. *Biom.*, 7, 248.
- Pearson, K. (1911a). On the probability that two independent distributions of frequency are really samples from the same population. *Biom.*, 8, 250.
- Pearson, K. (1911b). On a correction to be made to the correlation ratio n . *Biom.*, 8, 254.
- Pearson, K. (1912a). Mathematical contributions to the theory of evolution, XVIII. On a novel method of regarding the association of two variates classed solely in alternate categories. *Draper's Co. Res. Mem. Biometric Series VII*, Cambridge University Press.
- Pearson, K. (1912b, 1913). On the appearance of multiple cases of disease in the same house. *Biom.*, 8, 404, and 9, 28.
- Pearson, K. (1913a). On the probable error of a coefficient of correlation as found from a fourfold table. *Biom.*, 9, 22.
- Pearson, K. (1913b). On the measurement of the influence of 'broad categories' on correlation.

- Biom., 9, 116.
- Pearson, K. and Heron, D. (1913c). On theories of association. *Biom.*, 9, 159.
- Pearson, K. (1913d). Note on the surface of constant association. *Biom.*, 9, 534.
- Pearson, K., editor, (1914, 1931). *Tables for Statisticians and Biometricians*, Part I (1914, 3rd edn. 1930) and Part II (1931). Cambridge University Press.
- Pearson, K., and Cave, B.M. (1914). Numerical illustrations of the variate-difference correlation method. *Biom.*, 10, 340.
- Pearson, K. (1914, 1921). On an extension of the method of correlation by grades or ranks. *Biom.*, 10, 416; and Second note, *Biom.*, 13, 302.
- Pearson, K. (1915a). On the partial correlation ratio. *Proc. Roy. Soc., A*, 91, 492.
- Pearson, K. (1915b). On certain types of compound frequency-distributions in which the components can be individually described by binomial series. *Biom.*, 11, 139.
- Pearson, K. (1916a). Mathematical contributions to the theory of evolution. XIX: Second supplement to a memoir on skew variation. *Phil. Trans., A*, 216, 429. (Correction, *Biom.*, 12, 259)
- Pearson, K. (1916b). On the general theory of multiple contingency with special reference to partial contingency. *Biom.*, 11, 145.

- Pearson, K., and Jocker, J. (1916 c). On criteria for the existence of differential death-rates. *Biom.*, 11, 145.
- Pearson, K. (1916 d). On some novel properties of partial and multiple correlation coefficients in a universe of manifold characteristics. *Biom.*, 11, 231.
- Pearson, K. (1916 e). On the application of 'goodness of fit' Tables to test regression curves (and theoretical curves) used to describe observational or experimental data. *Biom.*, 11, 239. (Correction, *Biom.*, 12, 259).
- Pearson, K. (1916 f). On a brief proof of the fundamental formula for testing the goodness of fit of frequency-distributions and on the probable error of P. *Phil. Mag.*, (6), 31, 369.
- Pearson, K. (1917). On the probable error of biserial η . *Biom.*, 11, 292.
- Pearson, K. and Young, A.W. (1918). On the product-moments of various orders of the normal correlation surface of two variates. *Biom.*, 12, 86.
- Pearson, K., and Pairman, E. (1919). On corrections for the moment-coefficients of limited range frequency-distributions when there are finite or infinite ordinates and any slopes at the terminals of the range. *Biom.*, 12, 231.
- Pearson, K. (1919). On generalised Tchebycheff theorems in the mathematical theory of statistics. *Biom.*, 12, 284.
- Pearson, K. (1920 a). The fundamental problem of practical statistics. *Biom.*, 13, 1.

- Pearson, K. (1920b). Notes on the history of correlation. *Biom.*, 13, 25.
- Pearson, K. (1920c). On the Construction of Tables and on Interpolation. Part I. Univariate Tables. Part II. Bivariate Tables. Tracts for Computers, Nos. 2 and 3. Cambridge University Press.
- Pearson, K. (1921). On a general method of determining the successive terms in a skew regression line. *Biom.*, 13, 296.
- Pearson, K. (1922a, 1923). On the χ^2 test of goodness of fit. *Biom.*, 14, 186; and: Further note. *Biom.*, 14, 418.
- Pearson, K. and Pearson, E. S. (1922b). On polychoric coefficients of correlation. *Biom.*, 14, 127.
- Pearson, K., and Elderton, E. M. (1923a). On the variate-difference method. *Biom.*, 14, 281.
- Pearson, K. (1923b). On the correction necessary for the correlation ratio η . *Biom.*, 14, 412.
- Pearson, K. (1923c). Notes on skew frequency surfaces. *Biom.*, 15, 222; and: On non-skew frequency surfaces. *Biom.*, 15, 231.
- Pearson, K. (1924a). Note on Professor Romanovsky's generalisation of my frequency curves. *Biom.*, 16, 116.
- Pearson, K. (1924b). On the moments of the hypergeometrical series. *Biom.*, 16, 157.
- Pearson, K. (1924c). On a certain double hypergeometrical series and its representation by continuous frequency surfaces. *Biom.*, 16, 172.

- Pearson, K. (1924d). On the mean error of frequency-distributions. *Biom.*, 16, 198.
- Pearson, K. (1924e). Historical note on the origin of the normal curve. *Biom.*, 16, 402.
- Pearson, K. (1925a). The fifteen-constant bivariate frequency surface. *Biom.*, 17, 268.
- Pearson, K. (1925b). On first-power methods of finding correlation. *Biom.*, 17, 459.
- Pearson, K. (1926a). Researches on the mode of distribution of the constants of samples taken at random from a bivariate normal population. *Proc. Roy. Soc., A*, 112, 1.
- Pearson, K. (1926b). On the coefficient of racial likeness. *Biom.*, 18, 105.
- Pearson, K., Jeffery, G. B., and Elderton, E. M. (1929). On the distribution of the first product-moment coefficient in samples drawn from an indefinitely large normal population. *Biom.*, 21, 164.
- Pearson, K. (1931a). On the nature of the relationship between two of 'Student's' variates (Z_1 and Z_2) when samples are taken from a bivariate normal population. *Biom.*, 22, 405; Some properties of 'Student's' z . *Biom.*, 23, 1; and: Further remarks on the z -test. *Biom.*, 23, 408.
- Pearson, K. (1931b). Appendix to a paper by Professor Fokishige Hojo. On the standard error of the median to a third approximation, etc. *Biom.*, 23, 361.
- Pearson, K., and Pearson, M. V. (1931c, 1932). On the

mean character and variance of a ranked individual, and on the mean and variance of the intervals between ranked individuals: Part I. Symmetrical Distributions (Normal and Rectangular). *Biom.*, 23, 364.
Part II. Case of certain skew curves. *Biom.*, 24, 203.

Pearson, K. (1931d). Historical note on the distribution of the standard deviation of samples of any size drawn from an indefinitely large normal parent population. *Biom.*, 23, 416.

Pearson, K., Stouffer, S. A., and David, F. N. (1932a). Further applications in statistics of the $T_m(x)$ Bessel function. *Biom.*, 24, 293.

Pearson, K. (1932b). Experimental discussion of the (χ^2, P) test for goodness of fit. *Biom.*, 24, 351.

Pearson, K. (1933a). On the applications of the double Bessel function $K_{\tau_1, \tau_2}(x)$ to statistical problems. Part I. Theoretical. *Biom.*, 25, 158.

Pearson, K. (1933b). On a method of determining whether a sample of given size n supposed to have been drawn from a parent population having a known probability integral has probably been drawn at random. *Biom.*, 25, 379.

Pearson, K. (1934). On a new method of determining 'goodness of fit'. *Biom.*, 26, 425.

Pearson, K. (1935). On the corrections for broad categories, being a note on Mr. Wisniewski's memoir. *Biom.*, 27, 364.

- Pearson, K. (1936). Method of moments and method of maximum likelihood. *Biom.*, 28, 34.
- Peck, R. L. (1937). Test of an observed difference in the frequency of two results. *J. Am. Stat. Ass.*, 32, 532.
- Peierls, R. S. (1935). Statistical error in counting experiments. *Proc. Roy. Soc., A*, 149, 467.
- Peiser, M. A. (1943). Asymptotic formulae for significance levels of certain distributions. *Ann. Math. Stats.*, 14, 56.
- Pepper, J. (1929). Studies in the theory of sampling. *Biom.*, 21, 231.
- Pepper, J. (1932). The sampling distribution of the third moment coefficient — an experiment. *Biom.*, 24, 55.
- Perlo, V. (1933). On the distribution of 'Student's' ratio for samples of three drawn from a rectangular population. *Biom.* 25, 203.
- Persons, W. M. (1928). The construction of index numbers. Houghton Mifflin, Cambridge, Mass.
- Pietra, G. (1925). The theory of statistical relations, with special reference to cyclical series. *Metron*, 4, No-3-4, 383.
- Pietra, G. (1932 a). Nuovi contributi alla metodologia degli indici di variabilità e di concentrazione. *Att. R. Ist. Veneto di Sci.*, 989.
- Pietra, G. (1932 b). Dell' interpolazione parabolica nel caso in cui entrambi i valori delle variabili sono affetti da errori accidentali. *Metron*, 9, Nos. 3-4, 77.
- Pietra, G. (1934). *Statistica*. (2 vols.) Giuffrè, Milan.

- Pitman, E. J. G. (1936). Sufficient statistics and intrinsic accuracy. *Proc. Camb. Phil. Soc.*, 32, 567.
- Pitman, E. J. G. (1937a), (1938). Significance tests which may be applied to samples from any population. *Supp. J. R. S. S.*, 4, 119; 11. The correlation coefficient test. *Supp. J. R. S. S.* 4, 225; 11. The analysis of variance test. *Biom.*, 29, 322.
- Pitman, E. J. G. (1937b). The 'closest' estimates of statistical parameters. *Proc. Camb. Phil. Soc.*, 33, 212.
- Pitman, E. J. G. (1939a). The estimation of location and scale parameters of a continuous population of any given form. *Biom.*, 30, 391.
- Pitman, E. J. G. (1939b). Tests of hypotheses concerning location and scale parameters. *Biom.*, 31, 200.
- Pitman, E. J. G. (1939c). A note on normal correlation. *Biom.*, 31, 9.
- Pizzetti, E. (1939). Osservazioni sulle medie esponenziali e baso-esponenziali. *Metron*, 13, No. 4, 3.
- Poisson, S. D. (1837). *Recherches sur la probabilité des jugements, etc.* Paris.
- Pollak, L. W. (1926). *Rechentafeln zur harmonischen Analysis.* Barth, Leipzig.
- Pollak, L. W. (1927). *Periodogramme hochfrequenten Schwankungen meteorogischer Elemente.* *Met. Zeit.*, 4, 121.
- Pollak, L. W., and Kaiser, F. (1935). *Méthode numérique*

- de J. Fuhrich pour le calcul des périodicités, sa mise à l'épreuve et son application aux mouvements polaires. *Rev. Stat. Tchécoslovaque*, 16, 13.
- Pollard, H. S. (1934). On the relative stability of the median and arithmetic mean, with particular reference to certain frequency-distributions which can be dissected into normal distributions. *Ann. Math. Stats.*, 5, 227.
- Pólya, G. (1920). Über den zentralen Grenzwertsatz der Wahrscheinlichkeitsrechnung und das Momentproblem. *Math. Zeit.*, 8, 173.
- Pólya, G. (1923). Herleitung des Gauss'schen Gesetzes aus einer Funktionalgleichung. *Math. Zeit.*, 18, 96.
- Pólya, G. (1931). Sur quelques points de la théorie des probabilités. *Ann. Inst. H. Poincaré* 1, 117.
- Pólya, G. (1937). Zur Kinematik der Geschlebebewegung. *Mitt. Versuchs. Wasserbau an der Eid. Tech. Hochschule. Zurich.*
- Pólya, G. (1938a). Sur l'indétermination d'un problème voisin du problème des moments. *Comptes rendus*, 207, 708.
- Pólya, G. (1938b). Sur la promenade au hasard dans un réseau de rues. *Actualités Scientifiques et Industrielles*, No. 734, Paris. Hermann et Cie.
- Powell, R. W. (1930). Successive integration as a meth-

- od for finding long-period cycles. *Ann. Math. Stats.*, 1, 123.
- Pretorius, S. J. (1930). Skew bivariate frequency surfaces examined in the light of numerical illustrations. *Biom.*, 22, 109.
- Prokopovic, S. N. (1935). La corrélation des séries quantitatives. *Rev. Stat. Tchécoslovaque*, 16, 64.
- Przyborowski, J. and Wilenski, H. (1935a). Sur les erreurs de la première et de la seconde catégorie dans la vérification des hypothèses concernant la loi de Poisson. *Comptes rendus*, 200, 1460.
- Przyborowski, J., and Wilenski, H. (1935b). Statistical principles of routine work in testing clover seed for dodder. *Biom.*, 27, 273.
- Przyborowski, J., and Wilenski, H. (1936). Note on the application of a theorem of Frau Pollaczek-Geiringer. *Biom.*, 28, 187.
- Przyborowski, J., and Wilenski, H. (1940). Homogeneity of results in testing samples from Poisson series, etc. *Biom.*, 31, 313.
- Quensel, C. E. (1936). A method of determining the regression curve when the marginal distribution is of the normal logarithmic type. *Ann. Math. Stats.*, 7, 196.
- Quensel, C. E. (1938). The distributions of the second moment and of the correlation coefficient in samples from populations of Type A. *Lunds Univ. Arsska N.F.* 34, 4, 1.

- Raikov, D. (1938). On the decomposition of Gauss and Poisson laws. *Bull. Acad. Sci. U.S.S.R. Ser. Math.*, 1, 91.
- Reed, L. J. (1922). Fitting straight lines. *Metron*, 1, No. 3, 54.
- Regan, F. (1936, 1938). The application of the theory of admissible members to time-series with constant probability. *Trans. Am. Math. Soc.*, 36, 511; and: The application of the theory of inadmissible numbers to time-series with variable probability. *Am. J. Maths.*, 58, 867.
- Reichenbach, H. (1935). *Wahrscheinlichkeitslehre*, Leiden.
- Reichenbach, H. (1937). Les fondements logiques du calcul des probabilités. *Ann. Inst. H. Poincaré*, 7, 267.
- Reiersøl, O. (1940). A method for recurrent computation of all the principal minors of a determinant and its application in confluence analysis. *Ann. Math. Stats.*, 11, 193.
- Reiersøl, O. (1941). Confluence analysis by means of lag moments and other methods of confluence analysis. *Econometrika*, 9, 1.
- Rhodes, E. C. (1921). *Smoothing Tracts for Computers*, No. 6. Cambridge University Press.
- Rhodes, E. C. (1923, 1925). On a certain skew correlation surface. *Biom.*, 14, 355, and 17, 314.
- Rhodes, E. C. (1924, 1925). On the problem whether two given samples can be supposed to have been drawn from the same population.

- Biom., 16, 239 and *Metron*, 5, 3.
- Rhodes, E. C. (1925). On sampling. *Metron*, 5, Nos. 2-3, 3.
- Rhodes, E. C. (1927). The precision of means and standard deviations when the individual errors are correlated. *J. R. S. S.*, 90, 135.
- Rhodes, E. C. (1928). On the normal correlation function as an approximation to the distribution of paired drawings. *J. R. S. S.*, 91, 548.
- Rhodes, E. C. (1930). On the fitting of parabolic curves to statistical data. *J. R. S. S.*, 93, 569.
- Rhodes, E. C. (1936). The precision of index numbers, *J. R. S. S.*, 99, 142.
- Rice, S. O. (1938). Van Uven's theorem in probability theory and a self-reciprocal Hankel transform. *Quart. J. Maths.*, 9, 1.
- Rice, S. O. (1939). The distribution of the maxima of a random curve. *Am. J. Maths.*, 61, 409.
- Richards, H. I. (1931). Analysis of the spurious effect of high intercorrelation of independent variables on regression and correlation coefficients. *J. Am. Stat. Ass.*, 26, 21.
- Ricker, W. E. (1937). The concept of confidence of fiducial limits applied to the Poisson frequency. *J. Am. Stat. Ass.*, 32, 349.
- Rider, P. R. (1929). On the distribution of the ratio of mean to standard deviation.

- in small samples from non-normal populations. *Biom.*, 21, 124.
- Rider, P. R. (1931a). On small samples from certain non-normal universes. *Ann. Math. Stats.*, 2, 48.
- Rider, P. R. (1931b). A note on small sample theory. *J. Am. Stat. Ass.*, 26, 172.
- Rider, P. R. (1932). On the distribution of the correlation coefficient in small samples. *Biom.*, 24, 382.
- Rider, P. R. (1933). Criteria for rejection of observations. *Washington University Studies, New Series, Science and Technology*, No. 8.
- Rider, P. R. (1934). The third and fourth moments of the generalised Lexis theory. *Metron*, 12, No. 1, 185.
- Rider, P. R. (1936). Annual survey of statistical technique: Developments in the analysis of multivariate data. *Econometrika*, 4, 264.
- Rietz, H. L., editor (1924). *Handbook of Mathematical Statistics*. Houghton Mifflin, Boston.
- Rietz, H. L. (1931a). Note on the distribution of the standard deviation of sets of three variates drawn at random from a rectangular distribution. *Biom.*, 23, 424.
- Rietz, H. L. (1931b). On certain properties of frequency-distributions obtained by a linear fractional transformation of the variates of a given distribution. *Ann. Math. Stats.*, 2, 38.
- Rietz, H. L. (1932). A simple non-normal correla-

- tion surface. *Biom.*, 24, 288.
- Rietz, H. L. (1937). Some topics in sampling theory. *Bull. Am. Math. Soc.*, 43, 209.
- Rietz, H. L. (1938). On a recent advance in statistical inference. *Am. Math. Monthly*, 45, 149.
- Rietz, H. L. (1939). On the distribution of the 'Student' ratio for small samples from certain non-normal populations. *Ann. Math. Stats.*, 10, 265.
- Risser, R. (1935-7). Exposé des principes de la statistique mathématique. *J. Soc. Stat. Paris*, 76, 281; 77, 337; 78, 40.
- Ritchie-Scott, A. (1918). The correlation coefficient of a polychoric table. *Biom.*, 12, 93.
- Ritchie-Scott, A. (1921). The incomplete moments of a normal solid. *Biom.*, 13, 401.
- Robb, R. A. (1929). The variate-difference method of seasonal variation. *J. Am. Stat. Ass.*, 24, 250.
- Robb, R. A. (1930). Modifications of the link relative and interpolation methods of determining seasonal variation. *Ann. Math. Stats.*, 1, 352.
- Robinson, S. (1933). An experiment regarding the χ^2 -test. *Ann. Math. Stats.*, 4, 285.
- Roff, M. (1937). Relation between results obtainable with raw and corrected correlation coefficients in multiple factor analysis. *Psychometrika*, 2, 35.
- Romanovsky, V. (1923). Note on the moments of

- a binomial about its mean. *Biom.*, 15, 410.
- Romanovsky, V. (1924). Generalisation of some types of the frequency-curves of Professor Pearson. *Biom.*, 16, 106.
- Romanovsky, V. (1925a). On the moments of standard deviation and of correlation coefficient in samples from normal. *Metron*, 5, No. 4, 3.
- Romanovsky, V. (1925b). On the moments of the hypergeometrical series. *Biom.*, 17, 57.
- Romanovsky, V. (1926). On the distribution of the regression coefficient in samples from normal population. *Bull. Acad. Sci. V. S. S. R.*, (6), 10, 643.
- Romanovsky, V. (1927). Note on orthogonalising series of functions and interpolation. *Biom.*, 19, 93.
- Romanovsky, V. (1928). On the criteria that two given samples belong to the same normal population. *Metron*, 7, No. 3, 3.
- Romanovsky, V. (1929). On the moments of means of functions of one and more random variables. *Metron*, 8, Nos. 1-2, 251.
- Romanovsky, V. (1931a). Sulla probabilità a posteriori. *Giorn. Ist. Ital. Att.*, 2
- Romanovsky, V. (1931b). Sulle regression multiple. *Giorn. Ist. Ital. Att.*, 2.
- Romanovsky, V. (1931c, 1932a, 1933a). Généralisations d'un théorème de M. Slutsky. *Comptes rendus*, 192, 718; *Sur la loi sinusoidale limite*. *Rend. Circ. Mat.*