

- Romanovsky, V. (1932b). Due nuovi criteri di controllo sull'andamento casuale di una successione di valori. *Giorn. Ist. Ital. Att.*, 3, 203.
- Romanovsky, V. (1933b). On a property of the mean ranges in samples from a normal population and on some integrals of Professor Hojo. *Biom.*, 25, 195.
- Romanovsky, V. (1934). Su due problemi di distribuzione casuale. *Giorn. Ist. Ital. Att.*, 5, 196.
- Romanovsky, V. (1936a). Recherches sur les chaînes de Markoff. *Acta Math.*, 66, 147.
- Romanovsky, V. (1936b). Note on the method of moments. *Biom.*, 28, 188.
- Romanovsky, V. (1938). Analytical inequalities and statistical test. (Russian, with English summary). *Bull. Acad. Sci. U.S.S.R. Sér. Math.*, 4, 457.
- Roos, C. F. (1934). *Dynamic Economics*. Bloomington, Indiana.
- Roos, C. F. (1936). Annual survey of statistical technique. The correlation and analysis of time-series. *Econometrika*, 4, 368.
- Roos, C. F. (1937). A general invariant criterion of fit for lines and planes where all variates are subject to error. *Metron*, 13, No. 1, 3.
- Roy, S. N. (1938). A geometrical note on the use

of rectangular co-ordinates in the theory of sampling distributions connected with a multivariate normal population.

Sankhyā, 3, 273.

Roy, S. N. (1939a). A note on the distribution of the Studentized D^2 statistic. *Sankhyā*, 4, 373.

Roy, S. N. (1939b). p -statistics, or some generalisation on analysis of variance appropriate to multivariate problems.

Sankhyā, 4, 381.

Roy, S. N. (1942a). The sampling distribution of p -statistics and certain allied statistics on the non-null hypothesis.

Sankhyā, 6, 15.

Roy, S. N. (1942b). Analysis of variance for multivariate normal populations, etc.

Sankhyā, 6, 35

Salvemini, T. (1934). Ricerche sperimentali sull'interpolazione grafica di istogrammi. *Metron*, 11, No. 4, 83.

Salvemini, T. (1939). L'indice di cograduazione del Gini nel caso di serie statistiche con ripetizioni. *Metron*, 13, No. 4, 27.

Salvosa, L. R. (1930). Tables of Pearson's Type III function. *Ann. Math. Stats.*, 1, 191.

Samuelson, P. A. (1942). A method of determining explicitly the coefficients of a characteristic equation. *Ann. Math. Stats.*, 13, 424.

Samuelson, P. A. (1943). Fitting general Gram-

- Charlier series. *Ann. Math. Stats.*, 14, 179.
- Sandon, E. (1924). Note on the simplification of the calculation of abruptness coefficients to correct crude moments. *Biom.*, 16, 193.
- Sansone, G. (1933). La chiusura dei sistemi ortogonali di Legendre, di Laguerre e di Hermite rispetto alle funzioni di quadrati sommabili. *Giorn. Ist. Ital. Att.*, 4, 71.
- Sasuly, M. (1934). *Trend Analysis of Statistics*. Brookings Institution, Washington, D. C.
- Satterthwaite, F. E. (1943). Generalised Poisson distribution. *Ann. Math. Stats.*, 13, 410.
- Savur, S. R. (1937a). The use of the median in tests of significance. *Proc. Indian Acad. Sci.*, A, 5, 564.
- Savur, S. R. (1937b). A new solution of a problem in inverse probability. *Proc. Indian Acad. Sci.*, A, 5, 222.
- Savur, S. R. (1939). A note on the arrangement of incomplete blocks when $k=3$ and $k=1$. *Ann. Eng. Lond.*, 9, 45.
- Savur, S. R. (1941). A test of significance in approximate periodogram analysis. *Sankhyā*, 6, 77.
- Scheffé, H. (1942a). On the theory of testing composite hypotheses with one constraint. *Ann. Math. Stats.*, 13, 280.
- Scheffé, H. (1942b). On the ratio of the variances

- of two normal samples. *Ann. Math. Stats.*,
13, 371.
- Scheffé, H. (1943). Statistical inference in the
non-parametric case. *Ann. Math. Stats.*,
14, 305.
- Schmidt, E. (1934). Über die Charlier-Jordansche
Entwicklung einer willkürlicher Funktion
nach der Poissonsche Funktion ~~und~~ ihrer
Ableitungen. *Zeit. ang. Math. und Mech.*,
13, 139.
- Schmidt, E. (1934). Statistical analysis of one-
divisional distributions. *Ann. Math.
Stats.*, 5, 30.
- Schultz, H. (1930). The standard error of a fore-
cast from a curve. *J. Am. Stat. Ass.*, 25,
139.
- Schultz, H. (1933). The standard error of the
coefficient of elasticity of demand.
J. Am. Stat. Ass., 28, 64.
- Schultz, H. (1939). A misunderstanding in index
number theory: the true Konös condition
on cost-of-living index numbers and
limitations. *Econometrika*, 7, 1.
- Schultz, T. W., and Snedecor, E. (1933). Analysis
of variance as an effective method of
handling the time element in certain
economic statistics. *J. Am. Stat. Ass.*,
28, 14.
- Schumassa, T. E. W. (1938). A general gradua-
tion formula for the smoothing of
time series. *Phil. Mag.*, 26, 970.

- Schumann, T. E. W., and Hofmeyer, W. L. (1942).
The problem of auto-correlation of
meteorological time-series, etc. *Q. J.*
Met. Soc., 68, 177.
- Schuster, Sir Arthur (1898). On the investi-
gation of hidden periodicities with ap-
plication to a supposed 26-day period
of meteorological phenomena. *Terr.*
Mag., 3, 13.
- Schuster, Sir Arthur (1899). The periodogram
of the magnetic declination as obtained
from the records of the Greenwich
Observatory during the years 1871-1895.
Trans. Camb. Phil. Soc., 18, 107.
- Schuster, Sir Arthur (1906). On the periodic-
ities of sunspots. *Phil. Trans.*, A, 206,
69.
- Sinkarev, A. N. (1932). Über die Mechanik der
Massenprozesse (Kollektiwgegenstandlehre
Metron, 9, Nos. 3-4, 139.
- Seal, H. L. (1940). Test of a mortality table grad-
uation. *J. Inst. Act.*, 71, No. 330.
- Segal, J. E. (1938). Fiducial distribution of
several parameters with application
to a normal system. *Proc. Camb. Phil.*
Soc., 34, 41.
- Sheffer, H. M. (1935). Concerning some methods
of best approximation and a theorem
of Birkhoff. *Am. J. Math.*, 57, 587.
- Sheppard, W. F. For bibliography see *Ann.*
Eug. Lond., 1937, 13.

- Sheppard, W.F. (1898a). On the application of the theory of error to cases of normal distributions and normal correlations. *Phil. Trans., A*, 192, 101, and *Proc. Roy. Soc.*, 62, 170.
- Sheppard, W.F. (1898b). On the calculation of the most probable values of frequency constants for data arranged according to equidistant divisions of a scale. *Proc. Lond. Math. Soc.*, 29, 353.
- Sheppard, W.F. (1914). Fitting of polynomials by the method of least squares. *Proc. Lond. Math. Soc.*, (2), 13, 97.
- Sheppard, W.F. (1929). The fit of a formula for discrepant observations. *Phil. Trans., A*, 228, 199.
- Sheppard, W.F. (1939, posthumous). *The Probability Integral*. British Ass. Math. Tables, vol. 7. Cambridge University Press.
- Shewhart, W.A., and Winters, F.W. (1928). Small samples - new experimental results. *J. Am. Stat. Ass.*, 23, 144.
- Shewhart, W.A. (1931). *The Economic Control of Quality of a Manufactured Product*. Van Nostrand, New York.
- Shohat, J. (1929). Inequalities for moments of frequency functions and for various statistical constants. *Biom.*, 21, 361.
- Shohat, J. (1930). Stieltjes integrals in mathematical statistics. *Ann. Math. Stats.*,

- Shohat, J. (1935). On the development of function in series of orthogonal polynomials. *Bull. Am. Math. Soc.*, 41, 49.
- Simaika, J. B. (1941). On an optimum property of two important statistical test. *Biom.*, 32, 70.
- Simaika, J. B. (1942). Interpolation for fresh probability levels between the standard table levels of a function. *Biom.*, 32, 263.
- Simon, H. A. (1943). Symmetric tests of the hypothesis that the mean of one normal population exceeds that of another. *Ann. Math. Stats.*, 14, 149.
- Simon, L. E. (1941). *The Engineer Manual of Statistical Methods*. John Wiley, New York.
- Simonsen, W. (1937). On the distributions of certain functions of samples from a multivariate infinite population. *Skand. Akt.*, 20, 200.
- Sipos, A. (1930). *Practical application of Jordan's method for trend measurement*. Hornyansky, Budapest.
- Slutzky, E. (1914). On the criterion of goodness of fit of regression lines and on the best method of fitting them to data. *J. R. S. S.*, 77, 78.
- Slutzky, E. (1925). Über stochastische Asymptoten und Grenzwerte. *Metron*,

5, No. 3, 3.

Slutzky, E. (1934). Alcune applicazioni dei coefficienti di Fourier all'analisi delle funzioni aleatorie stazionarie. *Giorn. Ist. Ital. Att.*, 5, 435.

Slutzky, E. (1937a). Qualcuna proposizione relativa alla teoria delle funzioni aleatorie. *Giorn. Ist. Ital. Att.*, 8, 183.

Slutzky, E. (1937b). The summation of random cause as the source of cyclic processes. *Econometrika*, 5, 105.

Smirnoff, N. (1935). Über die Verteilung des allgemeinen Gliedes in der Variationssreihe. *Metron*, 12, No. 2, 59.

Smirnoff, N. (1936). Sur la distribution de w^2 . *Comptes rendus*, 202, 449.

Smith, C. D. (1930). On generalised Tchebycheff inequalities in mathematical statistics. *Am. J. Maths.*, 52, 109.

Smith, C. D. (1939). On Tchebycheff approximations for decreasing functions. *Ann. Math. Stats.* 10, 190.

Smith, H. Fairfield (1936). A discriminant function for plant selection. *Ann. Eug. Lond.*, 7, 240.

Smith, K. (1916). On the 'best' values of the constants in frequency-distributions. *Biom.*, 11, 262.

Smith, K. (1918). On the standard deviation of the adjusted and interpolated values of an observed polynomial function

- and its constants etc. *Biom.*, 12, 1.
- Smith, K. (1922). The standard deviations of fraternal and parental correlation coefficients. *Biom.*, 14, 1.
- Snedecor, G. W., and Irwin, M. R. (1933). On the chi-square test for homogeneity. *Iowa State College J. Sci.*, 8, 75.
- Snedecor, G. W., and Cox, G. M. (1934a). Disproportionate subclass numbers in tables of multiple classification. *Iowa Agr. Exp. Station Res. Bull.* No. 180.
- Snedecor, G. W. (1934b). Calculation and Interpretation of Analysis of Variance and Covariance. Collegiate Press, Ames, Iowa.
- Snedecor, G. W. Analysis of covariance of statistically controlled grades. *J. Am. Stat. Ass.* 30, Supp., 263.
- Snow, E. C. (1911). On restricted lines and planes of closest fit to systems of points in any number of dimensions. *Phil. Mag.* (6), 21, 367.
- Solomon, R. S. (1939). An index of conformity based on the J-curve hypotheses. *Sociometry*, 2, 63.
- Soper, H. E. (1913). On the probable error of the correlation coefficient to a second approximation. *Biom.*, 9, 91.
- Soper, H. E. (1914). On the probable error of the bi-serial expression for the correlation coefficient. *Biom.*, 10, 384.
- Soper, H. E. (and others (1917). On the distribu-

- tion of the correlation coefficient in small samples. *Biom.*, 11, 328.
- Soper, H. E. (1922). *Frequency Arrays*. Cambridge University Press.
- Soper, H. E. (1929a). The general sampling distribution of the multiple correlation coefficient. *J. R. S. S.*, 92, 445.
- Soper, H. E. (1929b). The interpretation of periodicity in disease prevalence. *J. R. S. S.*, 92, 34.
- 'Sophister' (1928). Discussion of small samples from an infinite skew universe. *Biom.*, 20A, 389.
- Spearman, C. (1906). A footrule for measuring correlation. *Brit. J. Psych.*, 2, 89.
- Spearman, C. (1907). Demonstration of formulae for true measurement of correlation. *Am. J. Psych.*, 18, 161.
- Spearman, C. (1910). Correlation calculated from faulty data. *Brit. J. Psych.*, 3, 271.
- Starkey, D. M. (1938). A test of significance of the difference between means of samples from two normal populations without assuming equal variances. *Ann. Math. Stats.*, 9, 201.
- Starkey, D. M. (1939). The distributions of the multiple correlation coefficient in periodogram analysis. *Ann. Math. Stats.*, 10, 321.
- Steffensen, J. F. (1923). *Matematik Iagttagelseslære*. Copenhagen.
- Steffensen, J. F. (1930). Some Recent Researches in the Theory of Statistics and Actuarial

- Science, Cambridge University Press.
- Steffensen, J.F. (1934). On certain measure of dependence between statistical variables. *Biom.*, 26, 251.
- Steffensen, J.F. (1936). Tree functions and Student-Fisher theorem. *Skand. Akt.*, 19, 108.
- Steffensen, J.F. (1937). On the semi-normal distribution. *Skand. Akt.*, 20, 60.
- Steinkhaus, H. (1923). Les probabilités dénombrables et leur rapport à la théorie de la mesure. *Fund. Math.*, 4, 286.
- Stekloff, W. (1914). Quelques applications nouvelles de la théorie de fermeture au problème de représentation approchée de fonctions et au problème des moments. *Mem. Acad. Imp. Sci. St. Pet.*, 32, No. 4.
- Sterne, T.E. (1934). The accuracy of least-square solutions. *Proc. Nat. Acad. Sci.*, 20, 565. and 601.
- Stevens, W.L. (1936). The analysis of interference. *J. Genetics*, 32, 51.
- Stevens, W.L. (1937a). The truncated normal distribution. *Ann. Appl. Biol.*, 24, 847.
- Stevens, W.L. (1937b). Significance of grouping. *Ann. Eug. Lond.*, 8, 57.
- Stevens, W.L. (1938a). The distribution of entries in a contingency table with fixed marginal totals. *Ann. Eug. Lond.*, 8, 238.

- Stevens, W.L. (1938b). The completely orthogonalised Latin square. *Ann. Eug. Lond.*, 9, 82.
- Stevens, W.L. (1939a). Solution to a geometrical problem in probability. *Ann. Eug. Lond.*, 9, 315.
- Stevens, W.L. (1939b). Tests of significance for extra-sensory perception data. *Psych. Rev.*, 46, 142.
- St. Georgesu, N. (1932). Further contributions to the sampling problem. *Biom.*, 24, 65.
- Stieltjes, J. (1918). *Recherches sur les fractions continues*. *Oeuvres*, Groningen
- Stock, J.S., and Frankel, L.R. (1939). The allocation of samplings among several strata, *Ann. Math. Stats.*, 10, 288.
- Stouffer, S.A., and Tibbitts, C. (1933). Test of significance in applying Westergaard's method of expected cases to sociological data. *J. Am. Stat. Ass.*, 28, 293.
- Stouffer, S.A. (1934). A coefficient of combined partial correlation with an example from sociological data. *J. Am. Stat. Ass.*, 29, 70.
- Stouffer, S.A. (1936a). Evaluating the effect of inadequately measured variables in partial correlation analysis. *J. Am. Stat. Ass.*, 31, 348.
- Stouffer, S.A. (1936b). Reliability coefficients in a correlation matrix. *Psychometrika* 1, 17.

- 'Student' (W. S. Gosset) (1907). On the error of counting with a haemacytometer. *Biom.*, 5, 351.
- 'Student' (1908a). On the probable error of a mean. *Biom.*, 6, 1.
- 'Student' (1908b). On the probable error of a correlation coefficient. *Biom.*, 6, 302.
- 'Student' (1909). On the distribution of means of samples which are not drawn at random. *Biom.*, 7, 210.
- 'Student' (1913). The correction to be made to the correlation ratio for grouping. *Biom.*, 9, 316.
- 'Student' (1914). The elimination of spurious correlation due to position in time or space. *Biom.*, 10, 179.
- 'Student' (1919). An explanation of deviations from Poisson's law in practice. *Biom.*, 12, 211.
- 'Student' (1921). An experimental determination of the probable error of Dr. Spearman's correlation coefficient. *Biom.*, 13, 263.
- 'Student' (1927). Errors of routine analysis. *Biom.*, 19, 151.
- 'Student' (1931a). On the z-test. *Biom.*, 23, 407.
- 'Student' (1931b). Yield trials. Article in *Baillière's Encyclopedia of Scientific Agriculture*.
- 'Student' (1931c). The Lanarkshire milk experiment. *Biom.*, 23, 398.
- 'Student' (1938). Comparison between balanced

- and random arrangements of field plots. *Biom.*, 29, 361.
- Stumpff, K. (1926). Fehlertheoretische Untersuchungen zur Periodogrammanalyse. *Astr. Nach.*, 226, 378.
- Stumpff, K. (1937). Grundlagen und Methoden der Periodenforschung. Berlin.
- Subramanian, S. (1935). On a property of partial correlation. *J.R.S.S.*, 98, 129.
- Sukhatme, P.V. (1935). Contribution to the theory of the representative method. *Supp. J.R.S.S.*, 2, 253.
- Sukhatme, P.V. (1936a). A contribution to the problem of two samples. *Proc. Indian Acad. Sci.*, 2, A. 584.
- Sukhatme, P.V. (1936b). On the analysis of k samples from exponential populations with especial reference to the problem of random intervals. *Stat. Res. Mem.*, 1, 94.
- Sukhatme, P.V. (1937a). Tests of significance for samples of the χ^2 population with two degrees of freedom. *Ann. Eug. Lond.*, 8, 52.
- Sukhatme, P.V. (1937b). The problem of k samples for Poisson population. *Proc. Nat. Inst. Sci. India*, 3, 297.
- Sukhatme, P.V. (1938a). On the distribution of χ^2 in samples from a Poisson series. *Supp. J.R.S.S.* 5, 75.
- Sukhatme, P.V. (1938b). On Fisher and Behrens'

test of significance for the difference
in means of two normal samples.

Sankhyā, 4, 39.

Sukhatme, P. V. (1938c). On bipartitional functions. *Phil. Trans. Roy. Soc. A*, 237, 375.

Sukhatme, P. V. (1944). Moments and product-moments of moment-statistics for samples of the finite and infinite populations. *Sankhyā*, 6, 363.

Swaroop, S. (1938). Tables of the exact values of probabilities for testing the significance of differences between proportions based on pairs of small samples.

Sankhyā, 4, 73.

Swed, F. S., and Eisenhart, C. (1943). Tables for testing randomness in a sequence of alternatives. *Ann. Math. Stats.*, 14, 66.

Tang, P. C. (1938). The power function of the analysis of variance tests with tables and illustrations of their use. *Stat. Res. Mem.*, 2, 126.

Tang, Y. (1938). Certain statistical problems arising in plant breeding. *Biom.*, 30, 29.

Tappan, M. (1927). On partial multiple correlation coefficients in a universe of manifold characteristics. *Biom.*, 19, 39.

Tartler, A. (1935). On a certain class of orthogonal polynomials. *Am. J. Maths.*, 57, 627.

- Taucer, R. (1936). I fenomeni di selezione a la teoria dei gruppi. *Giorn. Ist. Ital. Att.*, 7, 16.
- Tchebycheff, P. L. (1907). *Œuvres*. 2 vols. St. Petersburg: including: Sur une formule d'analyse, 1, 701 (1854); Sur les fractions continues, 1, 203. (1856); Sur une nouvelle série, 1, 381 (1858); Sur l'interpolation par la méthode des moindres carrés, 1, 478. (1859); Sur l'interpolation des values équidistantes, 2, 219 (1875).
- Tedin, O. (1931). The influence of systematic plot arrangements upon the estimate of error in field experiments. *J. Agr. Sci.*, 21, 191.
- Thiele, T. N. (1931). *Theory of Observations*. Reprint in *Ann. Math. Stats.*, 2, 165, of the English version published in 1903.
- Thompson, C. M., Pearson, E. S., Comrie, L. J., and Hartley, H. O. (1941a). Tables of percentage points of the incomplete beta-function. *Biom.*, 32, 151.
- Thompson, C. M. (1941b). Tables of percentage points of the χ^2 -distribution. *Biom.*, 32, 187.
- Thompson, W. R. (1933). On the likelihood that one unknown probability exceeds another in view of the evidence of two samples. *Biom.*, 25, 286.
- Thompson, W. R. (1935). On a criterion for the rejection of observations and the distribution

of the ratio of deviation to sampling standard deviation. *Ann. Math. Stats.*, 6, 214.

Thompson, W. R. (1936). On confidence ranges for the median and other expectation distributions for populations of populations of unknown distribution form. *Ann. Math. Stats.*, 7, 122.

Thompson, W. R. (1938). Biological applications of normal range and associated significance tests in ignorance of original distribution forms. *Ann. Math. Stats.*, 9, 281.

Thomson, G. H. (1916). A hierarchy without a general factor. *Brit. J. Psych.*, 8, 271.

Thomson, G. H. (1919a). The criterion of goodness of fit of psychophysical curves. *Biom.*, 12, 216.

Thomson, G. H. (1919b). On the degree of perfection of hierarchical order among correlation coefficients. *Biom.*, 12, 355, and (correction). 15, 150.

Thomson, G. H. (1935). On complete families of correlation coefficients, etc. *Brit. J. Psych.*, 26, 63.

Thomson, G. H. (1939). The factorial analysis of ability. *Brit. J. Psych.*, 30, 71 and 105.

Thorndike, E. L. (1937). On correlations between measurements which are not normally distributed. *J. Educ. Psych.*, 28, 367.

Thouless, R. H. (1939). The effect of errors of mea-

- surement on correlation coefficients. *Brit. J. Psych.* 29, 383.
- Thourston, L. L. (1935). *Vectors of Mind*. Chicago.
- Thourston, L. L. (1938). A new rotational method in factor analysis. *Psychometrika*, 43, 199.
- Tinbergen, J. (1937). *An Econometric Approach to Business Cycle Problems*. Paris.
- Tinbergen, J. (1938). On the theory of business cycle control. *Econometrika*, 6, 22.
- Tintner, G. (1935). *Prices and the Trade Cycle*. Vienna.
- Tintner, G. (1940). *The Variate-Difference Method*. Bloomington Press, Indiana.
- Tintner, G. (1941). The variate-difference method: a reply. *Econometrika*, 9, 163.
- Tippett, L. H. C. (1925). On the extreme individuals and the range of samples taken from a normal population. *Biom.*, 17, 364.
- Tippett, L. H. C. (1931). *The Methods of Statistics*. Williams and Norgate. London. 2nd edn. 1937
- Tippett, L. H. C. (1932). A modified method of counting particles. *Proc. Roy. Soc., A*, 137, 434.
- Tippett, L. H. C. (1935). Some applications of statistical methods to the study of variation of quality in the production of cotton yarn. *Supp. J. R. S. S.*, 2, 27.
- Todhunter, I. (1865). *A History of the Mathematical Theory of Probability from the time of Pascal to that of Laplace*. Macmillan,

London.

- Tornier, E. (1929). Wahrscheinlichkeitsrechnung und Zahlentheori. J. rein. und ang. Math., 160, 177.
- Tornier, E. (1930). Die Axiome der Wahrscheinlichkeitsrechnung. J. rein. und ang. Math., 163, 45.
- Tornier, E. (1933). Grundlagen der Wahrscheinlichkeitsrechnung. Acta Math., 60, 239.
- Tornier, E. (1936). Wahrscheinlichkeitsrechnung und allgemeine Integrationstheori. Teubner, Leipzig.
- Tornier, E. (1937). Verallgemeinerung des Ruckschluss-Satzes der Wahrscheinlichkeitsrechnung. Deutsche Math., 2, 469.
- Trachtenberg, H. L. (1921). Analysis of the periodogram. J. R. S. S., 84, 578.
- Travers, R. M. W. (1939). The use of a discriminant function in the treatment of psychological group-differences. Psychometrika, 4, 25.
- Treloar, A. E., and Wilder, M. A. (1934). The adequacy of 'Student's' criterion of deviations in small sample mean. Ann. Math. Stats., 5, 324.
- Tricomi, F. (1935, 1936 a). Su la rappresentazione di una legge di probabilità mediante esponenziali di Gauss e la trasformazione di Laplace. Giorn. Ist. Ital. Att., 6, 135 and 7, 42.
- Tricomi, F. (1936 b). Sulla media dei valori

- assoluti di errori seguente la legge di Gauss. *Giorn. Ist. Ital. Att.* 7, 280.
- Tricomi, F. (1937). Sul rapporto fra la media dei quadrati di più errori e il quadrato della media dei loro valori assoluti. *Giorn. Ist. Ital. Att.*, 8, 68 and 127.
- Tricomi, F. (1938). Les transformations de Fourier, Laplace, Gauss et leurs applications au calcul des probabilités et à la statistique. *Ann. Inst. H. Poincaré*, 8, 111.
- Truksa, L. (1940). The simultaneous distribution in samples of mean and standard deviation and of mean and variance. *Biom.*, 31, 256.
- Tschuprow, A.A. (1918, 1919a). Zur Theorie der Stabilität statistischer Reihen. *Skand. Akt.*, 1, 199 (1918), and 2, 80 (1919).
- Tschuprow, A.A. (1918b, 1921, 1923). On the mathematical expectation of the moments of frequency-distributions. *Biom.*, 12, 140 and 185; *Biom.*, 13, 283; and *Metron*, 2, No. 3, 461 and No. 4, 646.
- Tschuprow, A.A. (1925). Grundbegriffe und Grundprobleme der Korrelationstheorie. Teubner, Leipzig. (English translation as *The Mathematical Theory of Correlation*, William Hodge, 1939).
- Tschuprow, A.A. (1934). The mathematical foundation of the methods to be used

- in statistical investigation of the dependence between two chance variables. *Nordisk Statistik Tidskrift*, 5, 34.
- Turner, H. H. (1913). *Tables for facilitating the use of harmonic analysis*. Oxford University Press.
- Urban, F. M. (1918). Über den Begriff der mathematischen Wahrscheinlichkeit. *Vierteljahrsschrift für Wiss. Phil. and Soz.*, 10.
- Uspensky, J. V. (1937). *Introduction to Mathematical Probability*, Mc Graw-Hill, New York and London.
- Vajad, S. (1939). Die Wahrscheinlichkeit einer bestimmten Auszahlungssumme. *Stand. Akt.*, 22, 10.
- van der Pol, B. (1930). Oscillations sinusoidales et de relaxation. (*L'onde électrique*, juin-juillet, Chiron, Paris.)
- van Kampen, E. R. (1937a). On the addition of convex curves and the densities of certain infinite Convolutions. *Am. J. Maths.* 59, 679.
- van Kampen, E. R. and Wintner, A. (1937b, 1937c). Convolutions of distributions on convex curves and the Riemann zeta-function. *Am. J. Maths.*, 59, 175; and: On divergent infinite convolutions. *Ibid*, 59, 635.
- van Kampen, E. R. (1939a). On the asymptotic distribution of a ~~uniformly almost periodic~~

- function. *Am. J. Maths.* 61, 729.
- van Kampen, E.R. and Wintner, A. (1939b). A limit theorem for probability distributions on lattices. *Am. J. Maths.* 61, 965.
- van Uven, M.J. (1932). Compensazione degli error di un rapporto. *Metron*, 10, No. 3, 185.
- van Uven, M.J. (1939). Adjustment of a ratio. *Ann. Eug. Lond.*, 9, 181.
- Venn, J.A. (1888). *The Logic of Chance*, 3rd edn., Macmillan, London. (Out of print).
- Vernon, P.E. (1936). A note on the standard error in the contingency-matching technique. *J. Educ. Psych.*, 27, 704.
- Villars, D.S., and Anderson, T.W. (1943). Some significance tests for normal bivariate distributions. *Ann. Math. Stats.*, 14, 141.
- Ville, J.A. (1936a, b). Sur les suites indifférentes. *Comptes rendus*, 202, 1393; and: Sur la notion de collectif. *Ibid.*, 203, 26.
- Ville, J.A. (1936c). Sur la convergence de la médiane des n premiers résultats d'une suite infinie d'épreuves indépendantes. *Comptes rendus*, 203, 1309.
- Ville, J.A. (1939). Etude critique de la notion de collectif. Paris: Thèse.
- Vinci, F. (1920). Sui coefficienti di variabilità. *Metron*, 1, No. 1, 62.
- Vinci, F. (1934). Significant developments in business cycle theory. *Econometrika*, 2, 125.
- Walterras, V. (1936). Les équations des fluctua-

tions biologiques et le calcul des variations. *Comptes rendus*, 202, 1935; Les equations canoniques. *Ibid*, 202, 2023; and: Sur l'integration des equations. *Ibid*, 202, 2113.

von Bortkiewicz, L., (1898). Das Gesetz der kleinen Zahlen. Teubner, Leipzig.

von Bortkiewicz, L., (1910). Zur Verteidigung des Gesetzes der kleinen Zahlen. *Jahrb Nat. Ök. und Stat.*, (3), 39, 218.

von Bortkiewicz, L., (1915a). Über die Zeitfolge zufälliger Ereignisse. *Bull. Inst. Int de Stat.*, 20, 2^e livre.

von Bortkiewicz, L. (1915b). Realismus und Formalismus in der mathematischen Statistik. *Allg. Stat. Arkiv.*, 9, 225.

von Bortkiewicz, L. (1917). Die Iterationen, Berlin.

von Bortkiewicz, L. (1922). Das Hilmertsche Verteilung-gesetz für die Quadratsumme zufälliger Beobachtungsfehler. *Zeit. ang. Math. und Mech.* 2, Heft 5.

von Bortkiewicz, L. (1931). The relation between stability and homogeneity. *Ann. Math. Stats*, 2, 1.

von Mises, R. (1919a, b). Fundamentalsätze der Wahrscheinlichkeitsrechnung. *Math. Zeit.*, 4, 1 and: Grundlagen, *ibid*, 5, 52.

von Mises, R. (1921). Das Problem der Iterationen. *Zeit. ang. Math. und Mech.*, 1, 298.

von Mises, R. (1928). Wahrscheinlichkeit, Statistik und Wahrheit. Springer, Berlin.

- 3rd rev. edn., 1936, trans.
3rd rev. edn., 1936; trans. as *Probability, Statistics and Truth*, 1939, W. Hodge, London.
- von Mises, R. (1931). *Wahrscheinlichkeitsrechnung*. Deuticke, Wien.
- von Mises, R. (1933). Über Zahlenfolge die ein Kollektivähnliches Verhalten zeigen. *Math. Ann.*, 108, 757.
- von Mises, R. (1936a). Sul concetto di probabilità fondato sul limite di frequenze relative. *Giorn. Ist. Ital. Att.*, 7, 235.
- von Mises, R. (1936b). Les lois de probabilité pour les fonctions statistiques. *Ann. Inst. H. Poincaré*, 6, 185.
- von Mises, R. (1937). Bestimmung einer Verteilung durch ihre ersten Momente. *Skand. Akt.*, 20, 220.
- von Mises, R. (1938). A modification of Bay's problem. *Ann. Math. Stats.*, 9, 256.
- von Mises, R. (1939a). The limits of a distribution function if two expected values are given. *Ann. Math. Stats.*, 10, 99.
- von Mises, R. (1939b). An inequality for the moments of a discontinuous distribution. *Skand. Akt.*, 22, 32.
- von Mises, R. (1939c). Über Aufteilungs- und Besitzungs-Wahrscheinlichkeiten. *Rev. Fac. Sci. Univ. Istanbul*. (4), Fase, 1-2, 145.
- von Mises, R. (1941). On the foundations of probability and statistics. *Ann. Math.*

Stats, 12, 191.

von Neumann J., and others (1941a, b). The mean-square successive difference. *Ann. Math. Stats.*, 12, 153; (von Neuman alone): Distribution of the ratio of the mean-square successive difference to the variance, *Ibid.*, 12, 367; von Neumann and Hart, B.I.: Tabulation of the probabilities for the ratio of the mean-square successive difference to the variance, *Ibid.*, 13, 207.

von Schelling, H. (1934). Die Konzentration einer Verteilung und ihre Abhängigkeit von den Grenzen des Variationsbereiches. *Metron*, 11, No. 4, 3.

von Szélski, V. S. (1929). Experiments in the correlation of time-series. *J. Am. Stat. Ass.*, 24. Supp., 241.

Wald, A. (1936a). Berechnung und Ausschaltung von Saisonschwankungen. Beiträge zur Konjunkturforschung. *Oester. Inst. Konj.*, 9, 35.

Wald, A. (1936b). Sur la notion de collectif dans le calcul des probabilités. *Comptes rendus*, 202, 180.

Wald, A. (1937). Die Widerspruchsfreiheit des Kollektivbegriffs der Wahrscheinlichkeitsrechnung. *Ergeb. Math. Kolloq.*, Hamburg, No. 8, 38.

Wald, A. (1938). A generalisation of Markoff's

- inequality. *Ann. Math. Stats.*, 9, 244.
- Wald, A. (1939a). Contributions to the theory of statistical estimation and testing hypotheses. *Ann. Math. Stats.*, 10, 299.
- Wald, A., and Wolfowitz, J. (1939b). Confidence limits of continuous distribution functions. *Ann. Math. Stats.*, 10, 105.
- Wald, A. (1940a). The fitting of straight lines if both variables are subject to error. *Ann. Math. Stat.*, 11, 284.
- Wald, A. (1940b). A note on the analysis of variance with unequal class-frequencies. *Ann. Math. Stats.*, 11, 96.
- Wald, A. and Wolfowitz, J. (1940c). On a test whether two samples are from the same population. *Ann. Math. Stats.*, 11, 147.
- Wald, A. (1941a). Asymptotically most powerful test of statistical hypotheses. *Ann. Math. Stats.*, 12, 1 and 396.
- Wald, A., and Brookner, R. J. (1941b). On the distribution of Wilk's statistic, etc. *Ann. Math. Stats.*, 12, 137.
- Wald, A., and Wolfowitz, J. (1941c). Note on confidence limits for continuous distribution functions. *Ann. Math.*, 12, 118.
- Wald, A. (1941d). On the analysis of variance in case of multiple classifications with unequal class frequencies. *Ann. Math. Stats.*, 12, 346.
- Wald, A. (1942a). Asymptotically shortest confidence intervals. *Ann. Math. Stats.*,

13, 127.

Wald, A. (1943). On the efficient design of statistical investigations. *Ann. Math. Stats.*, 14, 134.

Walker, Sir Gilbert (1914). On the criterion for the reality of relationships or periodicities. *Calcutta Ind. Met. Mem.*, 21, part. 9.

Walker, Sir Gilbert (1925). On periodicity, *Q. J. Roy. Met. Soc.*, 51, 387.

Walker, Sir Gilbert (1927). On periodicity and its existence in European weather. *Mem. Roy. Met. Soc.*, 1, No. 9.

Walker, Sir Gilbert (1931). On periodicity in series of related terms. *Proc. Roy. Soc. A*, 131, 518.

Walker, H. M. (1929). *Studies in the History of Statistical Method*. Williams and Wilks, Baltimore.

Walker, H. M., and Sanford, V. (1934). The accuracy of computation with approximate numbers. *Ann. Math. Stats.*, 5.

Wallace, N., and Travers, B. M. W. (1938). A psychometric sociological study of a group of speciality salesmen. *Ann. Eng. Lond.*, 8, 266.

Wallis, W. A. (1939). The correlation ratio for ranked data. *J. Am. Stat. Ass.*, 34, 53.

Wallis, W. A., and Moore, G. H. (1941). A significance test for time-series. *Technical Paper No. 1. Nat. Bur. Ec. Research.*

- Wallis, W.A. (1942). Compounding probabilities from independent significance tests. *Econometrika*, 10, 229.
- Watkins, G.P. (1933). An ordinal index of correlation. *J. Am. Stat. Ass.*, 28, 139.
- Waugh, F.V. (1942). Regressions between sets of variables. *Econometrika*, 10, 290.
- Webster, M.S. (1938). Orthogonal polynomials with orthogonal derivations. *Bull. Am. Math. Soc.*, 44, 880.
- Weida, F.M. (1934). On measures of contingency. *Ann. Math. Stats.*, 5, 308.
- Weida, F.M. (1935). On certain distribution functions when the law of the universe is Poisson's first law of error. *Ann. Math. Stats.*, 6, 102.
- Weiss, M.G., and Cox, G.M. (1939). Balanced incomplete block and lattice-square designs for testing yield differences among large numbers of soya bean variaties. *Iowa Agr. Exp. Stat. Res. Bull.*, 257, 289.
- Welch, B.L. (1935). Some problems in the analysis of regression among k samples of two variables. *Biom.*, 27, 145.
- Welch, B.L. (1936a). Note on an extension of the L test. *Stat. Res. Mem.*, 1, 52.
- Welch, B.L. (1936b). Specification of rules for rejecting two variables a product, etc. *Supp. J.R.S.S.*, 3, 29.
- Welch, B.L. (1937). On the z -test in randomised

- blocks and Latin squares. *Biom.*, 29, 21.
- Welch, B. L. (1938a). On tests for homogeneity. *Biom.*, 30, 149.
- Welch, B. L. (1938b). The significance of the difference between two means when the population variances are unequal. *Biom.*, 29, 350.
- Welch, B. L. (1939a). On confidence limits and sufficiency with particular reference to parameters of location. *Ann. Math. Stat.*, 10, 58.
- Welch, B. L. (1939b). Note on discriminant functions. *Biom.*, 31, 218.
- Welch, B. L. (1939c). On the distribution of maximum likelihood estimates. *Biom.*, 31, 187.
- Wertheimer, A. (1932). A generalised error function. *Ann. Math. Stats.*, 3, 64.
- Wertheimer, A. (1937). Note on Zoch's paper of the arithmetic mean. *Ann. Math. Stats.*, 8, 112.
- Wherry, R. J. (1935). The shrinkage of the Brown-Spearman prophecy formula. *Ann. Math. Stats.*, 6, 183.
- Whitaker, L. (1914). On Poisson's law of small numbers. *Biom.*, 10, 36.
- Whittaker, E. T., and Robinson, G. (1940). *The Calculus of Observations*, 3rd edn. Blackie & Sons.
- Whitworth, W. A. (1901). *Choice and Chance*, 5th edn. Deighton Bell and Co. Cambridge.

- Wicksell, S. D. (1917a). On logarithmic correlation with an application to the distribution of ages at first marriage. *Medd. Lunds. Astr. Obs.*, No. 84.
- Wicksell, S. D. (1917b). The correlation function of Type A. *Kungl. Svenska Vetenskapsakad. Handle, Bd. 58*; *Medd. Lunds. Obs. Series 2. No. 17*.
- Wicksell, S. D. (1921). An exact formula for spurious correlation. *Metron*, 1, No. 4, 33.
- Wicksell, S. D. (1933). On correlation functions of Type III. *Biom.*, 25, 121.
- Wicksell, S. D. (1934a). Expansions of frequency functions for integer variates in series. *Skand. Matematikercongressen i Stockholm*, p. 306.
- Wicksell, S. D. (1934b). Analytical theory of regression. *Medd. Lunds Astr. Obs. Series 2, No. 67*.
- Widder, D. V. (1934). The inversion of the Laplace integral and the related moment problem. *Trans. Am. Math. Soc.*, 36, 107.
- Wiener, N. (1930). Generalised harmonic analysis. *Acta. Math.*, 55, 117.
- Wiener, N. (1938). The homogeneous chaos. *Am. J. Math.*, 60, 897.
- Wilks, S. S. (1932a). Moments and distributions of estimates of population parameters from fragmentary samples. *Ann. Math. Stats.*, 3, 163.

- Wilks, S. S. (1932 b). On the sampling distribution of the multiple correlation coefficient. *Ann. Math. Stats.*, 3, 196.
- Wilks, S. S. (1932 c). On the distribution of statistics in samples from a normal population of two variables with matched sampling for one variable. *Metron*, 9, Nos. 3-4, 87.
- Wilks, S. S. (1932 d). The standard error of a tetrad in samples from a normal population of independent variables. *Proc. Nat. Acad. Sci.*, 18, 562.
- Wilks, S. S. (1932 e). Certain generalisations in the analysis of variance. *Biom.*, 24, 471.
- Wilks, S. S. (1934). Moment-generating operators for determinants of product-moments in samples from a normal system. *Ann. Math.*, 35, 312.
- Wilks, S. S. (1935 a). The likelihood test of independence in contingency tables. *Ann. Math. Stats.*, 6, 190.
- Wilks, S. S. (1935 b). On the independence of k sets of normally distributed statistical variables. *Econometrika*, 3, 309.
- Wilks, S. S. (1935 c). Test-criteria for statistical hypotheses involving several variables. *J. Am. Stat. Ass.*, 30, 549.
- Wilks, S. S. (1936). The sampling theory of systems of variances, covariances and intra-class covariances. *Ann. J. Math.*, 58, 426.
- Wilks, S. S., and Thompson, C. M. (1937 a). The

- sampling distribution of the criterion λH , when the hypothesis tested is not true. *Biom.*, 29, 124.
- Wilks, S. S. (1937 b). The analysis of variances for two or more variables. Third Ann. Conf. Econ. Stat. Colorado Springs, p. 82.
- Wilks, S. S. (1938 a). The large-sample distribution of the likelihood ratio for testing composite hypotheses. *Ann. Math. Stats.*, 9, 60.
- Wilks, S. S. (1938 b). Shortest average confidence intervals from large samples. *Ann. Math. Stats.*, 9, 166.
- Wilks, S. S. (1938 c). Fiducial distributions in fiducial inference. *Ann. Math. Stats.*, 9, 272.
- Wilks, S. S. (1938 d). Weighting systems for linear functions of correlated variables when there is no dependent variable. *Psychometrika*, 3, 23.
- Wilks, S. S. (1938 e). The analysis of variance and covariance in non-orthogonal data. *Metron*, 13, No. 2, 141.
- Wilks, S. S. (1939 a). Optimum fiducial regions for simultaneous estimation of several population parameters for large samples. (Abstract). *Ann. Math. Stats.*, 10, 85.
- Wilks, S. S., and Daly, J. E. (1939 b). An optimum property of confidence regions associated with the likelihood function. *Ann. Math. Stats.*, 10, 225.

- Wilks, S. S. (1941). On the determination of sample sizes for setting tolerance limits. *Ann. Math. Stats.*, 12, 91.
- Wilks, S. S. (1943). *Mathematical Statistics*. Princeton University Press.
- Williams, C. B. (1937). The use of logarithms in the interpretation of certain entomological problems. *Am. App. Biol.* 24, 404.
- Williams, J. D. (1941). Moments of the ratio of the mean-square successive difference to the meansquare difference in sample from a normal population. *Ann. Math. Stats.*, 12, 239.
- Wilsdon, B. H. (1934). Discrimination by specification statistically considered and illustrated by the standard specification for Portland cement. *Supp. J. R. S. S.*, 1, 152.
- Wilson, E. B. (1928). On hierarchical correlation systems. *Proc. Nat. Acad. Sci.*, 14, 283.
- Wilson, E. B., and Hilferty, M. M. (1931a). The distribution of chi-square. *Proc. Nat. Acad. Sci.*, 17, 694.
- Wilson, E. B., Hilferty, M. M., and Maher, H. G. (1931b). Goodness of fit. *J. Am. Stat. Ass.*, 26, 443.
- Wilson, E. B. (1938). The standard deviation of sampling for life expectancy. *J. Am. Stat. Ass.*, 33, 705.
- Wintner, A. (1934a). On the addition of independent distributions. *Am. J. Maths.*,

56, 8.

- Wintner, A. (1934 b). On the asymptotic differential distribution of almost periodic and related function. *Am. J. Maths.*, 56, 401.
- Wintner, A. (1935). Papers on convergent convolutions: *Am. J. Maths.*, 57, 363, 821, 827, 839, and *Bull. Am. Maths. Soc.*, 41, 137.
- Wintner, A. (1936). On a class of Fourier transforms, *Am. J. Maths.*, 58, 45.
- Wishart, J. (1926). On Romansky's generalised frequency curves. *Biom.*, 18, 221.
- Wishart, J. (1927). On the approximate quadrature of certain skew curves with an account of the researches of Thomas Bayes. *Biom.*, 19, 1.
- Wishart, J. (1928). The generalised product-moment distribution in samples from a normal multivariate population. *Biom.*, 20A, 32.
- Wishart, J. (1929a). The correlation between product-moments of any order in samples from a normal population. *Proc. Roy. Soc. Edin.*, 49, 1.
- Wishart, J. (1929b). A problem of combinatorial analysis giving the distribution of certain moment-statistics. *Proc. Lond. Math. Soc.*, 29, 309.
- Wishart, J. (1930). The derivation of certain

high-order sampling product-moments from a normal population, *Biom.*, 22, 224.

Wishart, J. (1931a). Note on frequency constants. *J. Inst. Act.*, 62, 174.

Wishart, J. (1931b). The mean and second-moment coefficient of the multiple correlation coefficient in samples from a normal population. *Biom.*, 22, 253.

Wishart, J. (1932a). A note on the distribution of the correlation ratio. *Biom.*, 24, 441.

Wishart, J., and Bartlett, M. S. (1932b). The distribution of second-order moment coefficients in small samples. *Proc. Camb. Phil. Soc.*, 28, 455.

Wishart, J. (1933a). The theory of orthogonal polynomial fitting. *J.R.S.S.* 96, 487.

Wishart, J. (1933b). A comparison of the semi-invariants of the distributions of moment and semi-invariant estimates in samples from an infinite population. *Biom.*, 25, 52.

Wishart, J., and Bartlett, M. S. (1933c). The generalised product-moment distribution in a normal system. *Proc. Camb. Phil. Soc.*, 29, 260.

Wishart, J. (1934a). Statistics in agricultural research. *Supp. J.R.S.S.*, 1, 26.

Wishart, J. (1934b). Bibliography of agricultural statistics. *Supp. J.R.S.S.*, 1, 95.

Wishart, J. and Sanders, H.G. (1935). Principles and Practice of Field Experimentation. Empire Cotton-growing Corporation, London.

Wishart, J. (1936). Test of significance in analysis of covariance. *Supp. J.R.S.S.*, 3, 79.

Wishart, J. (1938). Field experiments of factorial design. *J. Agr. Sci.*, 28, 299.

Wishart, J. (1939). Statistical treatment of animal experiments. *Supp. J.R.S.S.* 6, 1.

Wisniewski, J. (1934). Interdependence of cyclical and seasonal fluctuation. *Econometrika*, 2, 176.

Wisniewski, J. (1935, 1936). On the validity of a certain Pearson's formula. *Biom.*, 27, 356; and: Rejoinder *Biom.*, 28, 190.

Wisniewski, J. (1937a). A problem in least squares. *Ann. Math. Stat.*, 8, 145.

Wisniewski, J. (1937b). A note on inverse probability. *J.R.S.S.*, 100, 417.

Wold, H. (1934a). Sulle correzioni di Sheppard. *Giorn. Ist. Ital. Att.*, 4, 304.

* Wold, H. (1935). A study on the mean difference, concentration curves and concentration ratio. *Metron*, 12, No. 2, 39.

Wold, H. (1936). On quantitative statistical analysis. *Skand. Akt.*, 19, 281.

Wold, H. (1938a). A Study in the Analysis of Stationary Time-Series. *Almqvist*

and Wiksell, Uppsala.

Wold, H. (1938b). On the inversion of moving averages. *Skand. Akt.*, 21, 208.

Wold, H. (1939). Über stochastische Prozesse, insbesondere solche stationärer Natur. 9 Cong. des Math. Scand. Helsingfors, p. 207.

x Wold, H. (1934b). Sheppard's correction formulae in several variables. *Skand. Akt.*, 17, 248.

Wolfowitz, J. (1942). Additive partition functions and a class of statistical hypotheses. *Ann. Math. Stats.*, 13, 247.

Wolfowitz, J. (1943). On the theory of runs with some application to quality control. *Ann. Math. Stats.*, 14, 280.

Wong, Y.K. (1935). An application of the orthogonalisation process to the theory of least squares. *Ann. Math. Stats.*, 6, 53.

Wong, Y.K. (1937). On the elimination of variables in multiple correlation. *J. Am. Stat. Ass.*, 32, 357.

Woodbury, M.A. (1940). Rank correlation when there are equal variates. *Ann. Math. Stats.*, 11, 358.

Working, H. and Hotelling, H. (1929). Applications of the theory of error to the interpretation of trends. *J. Am. Stat. Ass.*, 24, Supp., 73.

Wright, S. (1934). The method of path coef-

ficients. *Ann. Math. Stats.*, 5, 161.

Yasukawa, K. (1925). On the means, standard deviations, correlations and frequency-distributions of functions of variates. *Biom.*, 17, 211.

Yasukawa, K. (1926). On the probable error of the mode of frequency-distributions. *Biom.*, 18, 263.

Yasukawa, K. (1934). On the deviation from normality of the frequency-distributions of functions of normally distributed variates. *Tokoku Math. J.*, 38, 465.

Yates, F. (1933a). The principles of orthogonality and confounding in replicated experiments. *J. Agr. Sci.*, 23, 108.

Yates, F. (1933b). The analysis of replicated experiments when the field results are incomplete. *Emp. J. Exp. Agr.*, 1, 129.

Yates, F. (1933c). The formation of Latin squares use in field experiments. *Emp. J. Exp. Agr.*, 1, 235.

Yates, F. (1934a). The analysis of multiple classifications with unequal numbers in the different classes. *J. Am. Stat. Ass.*, 29, 51.

Yates, F. (1934b). Contingency tables involving small numbers and the χ^2 -test. *Supp. J.R.S.S.*, 1, 217.

Yates, F. (1935a). Some examples of biased sampling. *Ann. Eug. Lond.*, 6, 202.

- Yates, F. (1935b). Complex experiments. Supp. J.R.S.S., 2, 181.
- Yates, F., and Zaccopanay, I. (1935c). The estimation of the efficiency of sampling, with special reference to sampling for yield in cereal experiments. J. Agr. Sci., 25, 545.
- Yates, F. (1936a). Incomplete Latin squares. J. Agr. Sci., 26, 301.
- Yates, F. (1936b). Incomplete randomised blocks. Ann. Eug. Lond., 7, 121.
- Yates, F. (1936c). Applications of the sampling technique to crop estimation and forecasting. Trans. Manchester Stat. Soc., 103.
- Yates, F. (1936d). A new method of arranging variety trials involving a large number of varieties. J. Agr. Sci., 26, 424.
- Yates, F. (1937a). A further note on the arrangement of variety trials. Quasi-Latin squares. Ann. Eug. Lond., 7, 319.
- Yates, F. (1937b). The design and analysis of factorial experiments. Imp. Bur. Soil. Sci. Tech. Comm. No. 35.
- Yates, F. (1938a). The gain in efficiency resulting from the use of balanced designs. Supp. J.R.S.S., 5, 70.
- Yates, F., and Cochran, W. G. (1938b). The analysis of groups of experiments. J. Agr. Sci., 28, 556.
- Yates, F. (1938c). Orthogonal functions and

- tests of significance in the analysis of variance. *Supp. J.R.S.S.*, 5, 177.
- Yates, F. (1939a). The recovery of inter-block information in variety trials arranged in three dimensional lattices. *Ann. Eug. Lond.*, 9, 136.
- Yates, F., and Hole, R.W. (1939b). The analysis of Latin squares when two or more rows, columns or treatments are missing. *Supp. J.R.S.S.*, 6, 67.
- Yates, F. (1939c). The adjustment of the weights of compound index numbers based on inaccurate data. *J.R.S.S.*, 102, 285.
- Yates, F. (1939d). Tests of significance of the differences between regression coefficients derived from two sets of correlated variates. *Proc. Roy. Soc. Edin.*, 59, 184.
- Yates, F. (1939e). The comparative advantages of systematic and randomised arrangements in the design of agricultural and biological experiments. *Biom.*, 30, 440.
- Yates, F. (1939f). An apparent inconsistency arising from tests of significance based on fiducial distributions of unknown parameters. *Proc. Camb. Phil. Soc.*, 35, 579.
- Yates, F. (1940). The recovery of inter-block information in balanced incomplete block designs. *Ann. Eug. Lond.*, 10, 317.
- Young, A.W., and Pearson, K. (1916). On the

- probable error of a coefficient of contingency without approximation. *Biom.*, 11, 215. (Correction, *Biom.*, 12, 259.)
- Young, L.C. (1941). On randomners in ordered sequences. *Ann. Math. Stats.*, 12, 293.
- Yule, G.U. (1897a) On the significance of Bravais' formulae for regression, etc., in the case of skew correlation. *Proc. Roy. Soc. A.* 60, 477.
- Yule, G.U. (1897b). On the theory of correlation. *J.R.S.S.*, 60, 812.
- Yule, G.U. (1900). On the association of attributes etc. *Phil. Trans.*, A. 194, 257.
- Yule, G.U. (1906). On a property which holds good for all groupings of a normal distribution, etc. *Proc. Roy. Soc.*, A. 77, 324.
- Yule, G.U. (1907). On the theory of correlation for any number of variables treated by a new system of notation. *Proc. Roy. Soc.*, A. 79, 182.
- Yule, G.U. (1910). On the interpretation of correlations between indices of ratios. *J.R.S.S.*, 73, 644.
- Yule, G.U. (1912). On the methods of measuring the association between two attributes. *J.R.S.S.*, 75, 579.
- Yule, G.U. (1921). On the time-correlation problem. *J.R.S.S.*, 84, 497.
- Yule, G.U. (1922). On the application of the χ^2 method to association and contingency tables, with experimental illustrations.

J.R.S.S., 85, 95.

Yule, G.U. (1926). Why do we sometimes get non-sense correlations between time-series, etc.? J.R.S.S., 89, 1.

Yule, G.U. (1927a). On a method of investigating periodicities in disturbed series, with special reference to Wolfer's sunspot numbers. Phil. Trans., A, 226, 267.

Yule, G.U. (1927b). On reading a scale. J.R.S.S., 90, 570.

Yule, G.U. (1936). On a parallelism between differential coefficients and regression coefficients. J.R.S.S., 99, 770.

Yule, G.U. (1938a). A test of Tippett's random sampling numbers, J.R.S.S., 101, 167.

Yule, G.U. (1938b). On some properties of normal distributions, univariate and bivariate, based on sums of squares of frequencies. Biom., 30, 1.

Zaycoff, R. (1936). Über die Zerlegung statistischer Zeitreihen in drei Komponenten. Stat. Inst. Econ. Res. Univ. Sofia, No. 4.

Zaycoff, R. (1937). Über die Ausschaltung der zufälligen Komponente nach der Variatendifference-Methode. Stat. Inst. Econ. Res. Univ. Sofia, No. 1.

Ziaud-Din, M. (1938). On differential operators developed by O'Toole. Ann. Math. Stats., 9, 63.

Zock, R.T. (1934). Invariants and covariants

- of certain frequency curves. *Ann. Math. Stats.*, 5, 124.
- Zoch, R. F. (1935, 1937). On the postulate of the arithmetic mean. *Ann. Math. Stats.*, 6, 171.; and; Reply to Mr. Wertheimer's paper. *Ibid.*, 8, 117.
- Zrazavý, E. J. (1933). Ausschaltung von Saisonschwankungen mittels Lag-correlation. *Monatsber. der Oest. Inst. für Konjunkturforschung*. Wien.